

| OBJECTID | STR_TYPE | COLL_STATU | STR_MAT | STR_DAMAGE | DAM_IN_OSTR_SED | SED_IN_OUT | STR_DEBRIS | DEB_IN_OUT | WATER | SCOUR | SCOUR_I_ID_IC | STRUC_LID | DEPTH | ROW | INSPECTOR | INSPECT_DATE | NOTES | STRUCT_ID | |
|-------------------|-------------|------------|---------------|---------------|-----------------|------------------------------------|------------|------------|----------|----------|---------------|-----------|------------|-------|-----------|--------------|----------------------------------|----------------------------------|----|
| Grand Count | | 1,863 | | | | | | | | | | | | | | | | | |
| CATCH_BASIN Count | | 803 | | | | | | | | | | | | | | | | | |
| 12532 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 3.85 | YES | JASON | 4/22/2011 | 1 | |
| 12533 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.03 | YES | JASON | 4/22/2011 | 2 | |
| 12535 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | JASON | 4/22/2011 | 4 | |
| 12537 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.81 | YES | JASON | 4/22/2011 | 6 | |
| 12538 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 7.5 | YES | JASON | 4/22/2011 | 7 | |
| 12539 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | N/A | NONE | GOOD | 7.85 | YES | JASON | 4/22/2011 | 8 | |
| 12544 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 9.3 | YES | JASON | 4/22/2011 | 12 | |
| 12545 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 9.33 | YES | JASON | 4/22/2011 | 13 |
| 12555 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.52 | YES | JASON | 4/22/2011 | 23 | |
| 12556 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.61 | YES | JASON | 4/22/2011 | 24 | |
| 12557 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.73 | YES | JASON | 4/22/2011 | 25 | |
| 12558 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 3.92 | YES | JASON | 4/22/2011 | 26 | |
| 12559 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | JASON | 4/22/2011 | 27 | |
| 12560 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | GOOD | 4.1 | YES | JASON | 4/22/2011 | 28 | |
| 12562 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 9 | YES | JASON | 4/22/2011 | 30 | |
| 12565 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.7 | YES | JASON | 4/22/2011 | 33 | |
| 12567 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 5.89 | YES | JASON | 4/22/2011 | 35 | |
| 12568 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | GOOD | 3.49 | YES | JASON | 4/22/2011 | 36 | |
| 12569 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 4.26 | YES | JASON | 4/22/2011 | 37 | |
| 12570 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 3.23 | YES | JASON | 4/22/2011 | 38 | |
| 12571 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | JASON | 4/22/2011 | 39 | |
| 12572 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 3.18 | YES | JASON | 4/22/2011 | 40 | |
| 12573 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.9 | YES | JASON | 4/22/2011 | 41 | |
| 12574 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.34 | YES | JASON | 4/22/2011 | 42 | |
| 12575 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | NONE | N/A | GOOD | 3.38 | YES | JASON | 4/22/2011 | 43 | |
| 12576 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MODERATE | BOTH | STANDING | NONE | N/A | NONE | GOOD | 4.68 | YES | JASON | 4/22/2011 | 44 | |
| 12577 | CATCH_BASIN | INLET | BRICK | MODERATE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MODERATE | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 7.12 | YES | JASON | 4/22/2011 | 46 | |
| 12582 | CATCH_BASIN | INLET | GROUTED_STONE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/22/2011 | 49 | | |
| 12583 | CATCH_BASIN | INLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/22/2011 | 50 | | |
| 15144 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 11.26 | YES | Jason Ray | 10/19/2012 | 2234 | |
| 15145 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 11.3 | YES | Jason Ray | 10/19/2012 | 2233 | |
| 15146 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 7.6 | YES | Jason Ray | 10/19/2012 | 2232 | |
| 15147 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 6.42 | YES | Jason Ray | 10/19/2012 | 2231 | |
| 15148 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.7 | YES | Jason Ray | 10/19/2012 | 2230 | |
| 15149 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 5.48 | YES | Jason Ray | 10/19/2012 | 2229 | |
| 15150 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 6.91 | YES | Jason Ray | 10/19/2012 | 2228 | |
| 15151 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 5.51 | YES | Jason Ray | 10/19/2012 | 2227 | |
| 15152 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 4.54 | YES | Jason Ray | 10/19/2012 | 2226 | |
| 12598 | CATCH_BASIN | INLET | GROUTED_STONE | MINOR | EXTERIOR | 76%-99% OF PIPE DIAMETER/INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/23/2011 | 65 | | |
| 12599 | CATCH_BASIN | INLET | GROUTED_STONE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/23/2011 | 66 | | |
| 12602 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 2.61 | YES | JASON | 4/23/2011 | 69 | |
| 12603 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 3.3 | YES | JASON | 4/23/2011 | 70 | |
| 12605 | CATCH_BASIN | INLET | GROUTED_STONE | NONE | N/A | BURIED | INTERIOR | NONE | N/A | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/23/2011 | Trench grate in street drains in | | |
| 12606 | CATCH_BASIN | INLET | GROUTED_STONE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NO_OPENING | 8.29 | YES | JASON | 4/23/2011 | Trench grate in street drains in | |
| 12608 | CATCH_BASIN | INLET | GROUTED_STONE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/23/2011 | 75 | | |
| 12620 | CATCH_BASIN | INLET | CONCRETE | SEVERE | INTERIOR | NONE | NONE | NONE | N/A | NONE | NONE | NONE | GOOD | 5.15 | YES | JASON | 4/23/2011 | 87 | |
| 12622 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.84 | YES | JASON | 4/23/2011 | 89 | |
| 12623 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | JASON | 4/23/2011 | 90 | |
| 12625 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5 | YES | JASON | 4/23/2011 | 92 | |
| 12626 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.79 | YES | JASON | 4/23/2011 | 93 | |
| 12630 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | GOOD | 6.5 | YES | JASON | 4/23/2011 | 97 | |
| 12631 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | GOOD | 6.9 | YES | JASON | 4/23/2011 | 98 | |
| 12632 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | GOOD | 6.03 | YES | JASON | 4/23/2011 | 99 | |
| 12633 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | GOOD | 8.65 | YES | JASON | 4/23/2011 | 100 | |
| 12634 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.72 | YES | JASON | 4/23/2011 | 101 | |
| 12640 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.4 | YES | KEVIN | 4/25/2011 | 107 | |
| 12641 | CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER/S/BOTH | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.53 | YES | KEVIN | 4/25/2011 | 108 | |
| 12850 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NO_OPENING | YES | JASON | 4/28/2011 | Could not see inside | | |
| 12851 | CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER/S/EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | N/A | NO_OPENING | YES | JASON | 4/28/2011 | 306 | | |
| 12643 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 6.17 | YES | KEVIN | 4/25/2011 | 110 | |
| 12644 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.84 | YES | KEVIN | 4/25/2011 | 111 | |
| 12646 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | GOOD | 7.75 | YES | KEVIN | 4/25/2011 | 113 | |
| 12647 | CATCH_BASIN | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | 26%-75% OF PIPE DIAMETER/INTERIOR | MINOR | INTERIOR | NONE | SEVERE | EXTERIOR | NONE | GOOD | 7.45 | YES | KEVIN | 4/25/2011 | 114 | |
| 12648 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | GOOD | 8.35 | YES | KEVIN | 4/25/2011 | 115 | |
| 12649 | CATCH_BASIN | INLET | CONCRETE | N/A | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 7.7 | YES | KEVIN | 4/25/2011 | 116 | |
| 12654 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.55 | YES | KEVIN | 4/25/2011 | 122 | |
| 12655 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S/INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.63 | YES | KEVIN | 4/25/2011 | 123 | |
| 12657 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | GOOD | 6.15 | YES | KEVIN | 4/25/2011 | 125 | |
| 12658 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | GOOD | 8.05 | YES | KEVIN | 4/25/2011 | 126 | |
| 12659 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | GOOD | 7.27 | YES | KEVIN | 4/25/2011 | 127 | |
| 12663 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|-------------|-------|----------|----------|----------|----------------------------|----------|-------------|-------------|----------|----------|----------|------|------------|------|------|----------------|-----------|-----------|-----|
| 12710 | CATCH_BASIN | INLET | BRICK | MODERATE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.76 | YES | KEVIN | 4/26/2011 | 173 | |
| 12711 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | KEVIN | 4/26/2011 | 174 | |
| 12714 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER/S | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.7 | YES | KEVIN | 4/26/2011 | 177 | |
| 12715 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | KEVIN | 4/26/2011 | 178 | |
| 12720 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.66 | YES | KEVIN | 4/26/2011 | 181 | |
| 12721 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 5.88 | YES | KEVIN | 4/26/2011 | 182 | |
| 12723 | CATCH_BASIN | INLET | CONCRETE | SEVERE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | KEVIN | 4/26/2011 | 184 | |
| 12737 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | MODERATE | EXTERIOR | NONE | GOOD | 7.46 | YES | KEVIN | 4/26/2011 | 198 | |
| 12738 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | MINOR | EXTERIOR | NONE | GOOD | 6.9 | YES | KEVIN | 4/26/2011 | 199 | |
| 12740 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 6.63 | YES | KEVIN | 4/26/2011 | 201 | |
| 12741 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 7.56 | YES | KEVIN | 4/26/2011 | 202 | |
| 12862 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6 | YES | JASON | 4/28/2011 | 316 | |
| 12863 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.92 | YES | JASON | 4/28/2011 | 317 | |
| 12865 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.48 | YES | JASON | 4/28/2011 | 319 |
| 12866 | CATCH_BASIN | INLET | BRICK | NONE | N/A | BURIED | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | | YES | JASON | 4/28/2011 | 320 | |
| 12868 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.64 | YES | JASON | 4/28/2011 | 322 | |
| 12869 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.83 | YES | JASON | 4/28/2011 | 323 | |
| 12871 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | NO_OPENING | | YES | JASON | 4/28/2011 | 325 | |
| 12872 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | | YES | JASON | 4/28/2011 | 326 | |
| 12877 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | BOTH | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.96 | YES | JASON | 4/28/2011 | 331 | |
| 12878 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.9 | YES | JASON | 4/28/2011 | 332 | |
| 12879 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.14 | YES | JASON | 4/28/2011 | 333 | |
| 12745 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 9.5 | YES | KEVIN | 4/26/2011 | 205 | |
| 12747 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | KEVIN | 4/26/2011 | 207 | |
| 12748 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.2 | YES | KEVIN | 4/26/2011 | 208 | |
| 12751 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.17 | YES | KEVIN | 4/26/2011 | 211 | |
| 12752 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.8 | YES | KEVIN | 4/26/2011 | 212 | |
| 12893 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.16 | YES | JASON | 4/28/2011 | 345 | |
| 12896 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.18 | YES | JASON | 4/28/2011 | 347 | |
| 14206 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 9.1 | YES | Glenn Kenobbie | 7/19/2012 | 1246 | |
| 13162 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 4/9/2012 | 485 | |
| 13163 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 4/9/2012 | 486 | |
| 13165 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 4/9/2012 | 489 | |
| 13167 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.8 | YES | Glenn Kenobbie | 4/9/2012 | 490 | |
| 13169 | CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 4/9/2012 | 492 | |
| 13171 | CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Glenn Kenobbie | 4/9/2012 | 494 | |
| 15153 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 9.5 | YES | Glenn Kenobbie | 1/26/2012 | 99 | |
| 15154 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 14.9 | YES | Glenn Kenobbie | 1/26/2012 | 100 | |
| 13172 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 7.4 | YES | Glenn Kenobbie | 4/9/2012 | 495 | |
| 13177 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | | YES | Glenn Kenobbie | 4/9/2012 | 498 | |
| 13178 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | | YES | Glenn Kenobbie | 4/9/2012 | 499 | |
| 13181 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 4/9/2012 | 502 | |
| 13182 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 4/9/2012 | 503 | |
| 14627 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER | BOTH | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.12 | YES | Jason Ray | 9/7/2010 | 1724 | |
| 14628 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.44 | YES | Jason Ray | 9/7/2010 | 1725 | |
| 13195 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.8 | YES | Glenn Kenobbie | 4/10/2012 | 529 | |
| 14630 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | MISSING | | YES | Jason Ray | 9/7/2010 | 1727 | |
| 14631 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | MISSING | | YES | Jason Ray | 9/7/2010 | 1728 | |
| 13206 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.8 | YES | Glenn Kenobbie | 4/11/2012 | 566 | |
| 13208 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.5 | YES | Glenn Kenobbie | 4/11/2012 | 568 | |
| 13211 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kenobbie | 4/11/2012 | 572 | |
| 13212 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.9 | YES | Glenn Kenobbie | 4/11/2012 | 571 | |
| 13215 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 4/11/2012 | 542 | |
| 13220 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kenobbie | 4/11/2012 | 546 | |
| 13222 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 13.6 | YES | Glenn Kenobbie | 4/11/2012 | 548 | |
| 13225 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.2 | YES | Glenn Kenobbie | 4/11/2012 | 554 | |
| 13226 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.65 | YES | Glenn Kenobbie | 4/11/2012 | 555 | |
| 13228 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | | YES | Glenn Kenobbie | 4/11/2012 | 558 | |
| 13229 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.2 | YES | Glenn Kenobbie | 4/11/2012 | 557 | |
| 15158 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | SLIGHT | BOTH | NONE | N/A | N/A | NONE | GOOD | 8.6 | YES | Glenn Kenobbie | 1/26/2012 | 115 | |
| 15159 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | SLIGHT | BOTH | NONE | N/A | N/A | NONE | GOOD | 10.3 | YES | Glenn Kenobbie | 1/26/2012 | 114 | |
| 13236 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 4/19/2012 | 605 | |
| 13237 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 4/19/2012 | 606 | |
| 13238 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 4/19/2012 | 607 | |
| 13239 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 4/19/2012 | 608 | |
| 13240 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 4/19/2012 | 609 | |
| 13241 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 4/19/2012 | 610 | |
| 13242 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 4/19/2012 | 611 | |
| 13243 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 4/19/2012 | 612 | |
| 13244 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kenobbie | 4/19/2012 | 613 | |
| 14634 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.94 | YES | Jason Ray | 9/7/2010 | 1731 | |
| 13247 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.5 | YES | Glenn Kenobbie | 4/19/2012 | 616 | |
| 13248 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 4/19/2012 | 614 | |
| 13253 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | | YES | Glenn Kenobbie | 4/19/2012 | 622 | |
| 13254 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 4/19/2012 | 623 | |
| 14638 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | SEVERE | EXTERIOR | NONE | GOOD | 9.6 | YES | Jason Ray | 9/7/2010 | 1735 | |
| 13258 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 4/19/2012 | 627 | |
| 13259 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 4/19/2012 | 628 | |
| 13267 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 7 | YES | Glenn Kenobbie | 4/19/2012 | 633 | |
| 13268 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.6 | YES | Glenn Kenobbie | 4/19/2012 | 634 | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|-------------|-------|--------------|----------|----------------------------------|-------------------------------------|-------------|-------------|----------|----------|----------|------------|------------|-------|-----------|----------------|--------------------------|----------------------------------|-----------------------------------|------|
| 13312 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.1 | NO | Glenn Kenobbie | 6/25/2012 | 659 | |
| 13314 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.2 | YES | Glenn Kenobbie | 6/25/2012 | 661 | | |
| 13315 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 6/25/2012 | 662 | | |
| 13316 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.65 | YES | Glenn Kenobbie | 6/25/2012 | 663 | |
| 13318 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 6/25/2012 | 665 | |
| 13319 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6 | YES | Glenn Kenobbie | 6/25/2012 | 666 | |
| 12756 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.6 | YES | KEVIN | 4/26/2011 | 216 | |
| 12757 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.03 | YES | KEVIN | 4/26/2011 | 217 | | |
| 12760 | CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.3 | YES | KEVIN | 4/26/2011 | 220 | |
| 15160 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 9.45 | | Glen Kenobbie | 1/26/2012 | 116 | |
| 15162 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | SLIGHT | INTERIOR | NONE | N/A | NONE | GOOD | 6.1 | | Glen Kenobbie | 1/26/2012 | 119 | |
| 14652 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.2 | YES | Jason Ray | 9/7/2010 | 1749 | |
| 14653 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.53 | YES | Jason Ray | 9/7/2010 | 1750 | | |
| 14654 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.27 | YES | Jason Ray | 9/7/2010 | 1751 | | |
| 14655 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/7/2010 | 1752 | | |
| 14657 | CATCH_BASIN | INLET | BRICK | NONE | N/A | BURIED | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/7/2010 | No depth due to sediment | 1754 | |
| 14658 | CATCH_BASIN | INLET | BRICK | NONE | N/A | BURIED | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/7/2010 | No depth due to sediment | 1755 | |
| 14659 | CATCH_BASIN | INLET | BRICK | NONE | N/A | BURIED | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/7/2010 | No depth due to sediment | 1756 | |
| 14661 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | Jason Ray | 9/7/2010 | No depth due to sediment | 1758 | | |
| 14662 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.09 | YES | Jason Ray | 9/7/2010 | | 1759 | |
| 14664 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | Jason Ray | 9/7/2010 | Could not get depth | 1761 | | |
| 14665 | CATCH_BASIN | INLET | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.8 | YES | Jason Ray | 9/7/2010 | | 1762 | | |
| 14666 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.78 | YES | Jason Ray | 9/7/2010 | | 1763 | |
| 15163 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | | Glen Kenobbie | 1/26/2012 | 120 | |
| 15164 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | ID | GOOD | 6.95 | | Glen Kenobbie | 1/26/2012 | Observed water coming from inc | 118 |
| 15168 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | SLIGHT | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 8.3 | | Glen Kenobbie | 1/26/2012 | | 106 |
| 14668 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.15 | YES | Jason Ray | 9/7/2010 | | 1765 | |
| 14669 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | Jason Ray | 9/7/2010 | Could not get depth | 1766 | | |
| 14671 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.36 | YES | Jason Ray | 9/8/2010 | | 1768 |
| 14672 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Jason Ray | 9/8/2010 | | 1769 |
| 14673 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.78 | YES | Jason Ray | 9/8/2010 | | 1770 |
| 14675 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.64 | YES | Jason Ray | 9/8/2010 | | 1772 |
| 14676 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.8 | YES | Jason Ray | 9/8/2010 | | 1773 | |
| 14680 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.03 | YES | Jason Ray | 9/8/2010 | | 1777 | |
| 14681 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 10.03 | YES | Jason Ray | 9/8/2010 | Possible leak coming from pipe 4 | 1778 | |
| 14683 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 13.52 | YES | Jason Ray | 9/8/2010 | | 1780 |
| 14686 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.89 | YES | Jason Ray | 9/8/2010 | | 1783 | |
| 14687 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.38 | YES | Jason Ray | 9/8/2010 | | 1784 | |
| 14690 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6 | YES | Jason Ray | 9/8/2010 | | 1787 | |
| 14691 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.61 | YES | Jason Ray | 9/8/2010 | | 1788 | |
| 14699 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.7 | YES | Jason Ray | 9/8/2010 | | 1796 | |
| 14700 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.73 | YES | Jason Ray | 9/8/2010 | Could not see bottom of structure | 1797 |
| 14703 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.63 | YES | Jason Ray | 9/8/2010 | | 1800 | |
| 12925 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.56 | YES | JASON | 4/29/2011 | | 376 |
| 12926 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.4 | YES | JASON | 4/29/2011 | | 377 |
| 12932 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.84 | YES | JASON | 4/29/2011 | | 383 | |
| 12933 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/S_INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4 | YES | JASON | 4/29/2011 | | 384 | |
| 14706 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.95 | YES | Jason Ray | 9/8/2010 | | 1803 | |
| 14707 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.15 | YES | Jason Ray | 9/8/2010 | | 1804 | |
| 14710 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.56 | YES | Jason Ray | 9/9/2010 | | 1807 | |
| 13356 | CATCH_BASIN | INLET | CONCRETE | MODERATE | INTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | STANDING | N/A | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 6/27/2012 | | 696 | |
| 14711 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.96 | YES | Jason Ray | 9/9/2010 | | 1808 | |
| 14713 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.19 | YES | Jason Ray | 9/9/2010 | | 1810 | |
| 14714 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.03 | YES | Jason Ray | 9/9/2010 | | 1811 | |
| 14716 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.82 | YES | Jason Ray | 9/9/2010 | | 1813 | |
| 14719 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.39 | YES | Jason Ray | 9/9/2010 | | 1816 | |
| 12765 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.73 | YES | KEVIN | 4/27/2011 | | 226 |
| 12767 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 7.8 | YES | KEVIN | 4/27/2011 | | 228 | |
| 12768 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.37 | YES | KEVIN | 4/27/2011 | | 229 |
| 12771 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.9 | YES | KEVIN | 4/27/2011 | | 230 | |
| 12772 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MINOR | INTERIOR | NONE | MINOR | EXTERIOR | NONE | GOOD | 8.6 | YES | KEVIN | 4/27/2011 | | 231 | |
| 12773 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 12.32 | YES | KEVIN | 4/27/2011 | | 232 |
| 12936 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.98 | YES | JASON | 4/29/2011 | | 387 | |
| 12937 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.1 | YES | JASON | 4/29/2011 | | 388 |
| 12940 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.66 | YES | JASON | 4/29/2011 | | 391 |
| 12941 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.88 | YES | JASON | 4/29/2011 | | 392 |
| 13320 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.2 | YES | Glenn Kenobbie | 6/25/2012 | | 667 |
| 13321 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.4 | YES | Glenn Kenobbie | 6/25/2012 | | 668 |
| 13324 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 6/25/2012 | | 671 | |
| 13325 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 6/25/2012 | | 672 |
| 13326 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | YES | Glenn Kenobbie | 6/25/2012 | | 673 | |
| 13330 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.4 | NO | Glenn Kenobbie | 6/25/2012 | | 677 |
| 12947 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.3 | YES | JASON | 4/29/2011 | | 398 |
| 12950 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 13.6 | YES | JASON | 4/29/2011 | | 401 |
| 12953 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 13.88 | YES | JASON | 4/29/2011 | | 402 |
| 13384 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.8 | YES | Glenn Kenobbie | 6/27/2012 | | 721 |
| 12962 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3 | YES | JASON | 4/30/2011 | | 411 |
| 13331 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.1 | NO | Glenn Kenobbie | 6/25/2012 | | 678 | |
| 13332 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.15 | YES | Glenn Kenobbie | 6/25/2012 | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|-------------|-------|----------|-------|----------|---------------------------|----------|-------------|----------|----------|-------|----------|------|------------|-------|-----|----------------|-----------|-----------------------------------|------|
| 12783 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 15.4 | YES | KEVIN | 4/27/2011 | 242 | |
| 12784 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.7 | YES | KEVIN | 4/27/2011 | 245 | |
| 12785 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 14.4 | YES | KEVIN | 4/27/2011 | 243 | |
| 13449 | CATCH_BASIN | INLET | CONCRETE | MINOR | INTERIOR | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 6/29/2012 | Possibly acting as a detention po | 782 |
| 13454 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | YES | | Glenn Kenobbie | 6/29/2012 | | 787 |
| 13455 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 6/29/2012 | | 788 |
| 13456 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 6/29/2012 | | 789 |
| 13457 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 6/29/2012 | | 790 |
| 12967 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | BURIED | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | | JASON | 4/30/2011 | Could not see pipe due to sedim | 415 |
| 12968 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3.95 | YES | JASON | 4/30/2011 | | 416 |
| 13458 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.9 | YES | Glenn Kenobbie | 6/29/2012 | | 791 |
| 13459 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.8 | YES | Glenn Kenobbie | 6/29/2012 | | 792 |
| 13463 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 6/29/2012 | | 796 |
| 13467 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.1 | YES | Glenn Kenobbie | 6/29/2012 | | 800 |
| 13344 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.4 | YES | Glenn Kenobbie | 6/25/2012 | Drains to junction box; no pipes | 689 |
| 13347 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.8 | YES | Glenn Kenobbie | 6/27/2012 | | 1389 |
| 13348 | CATCH_BASIN | INLET | BRICK | MINOR | INTERIOR | NONE | N/A | MODERATE | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 6/27/2012 | | 881 |
| 13351 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.4 | YES | Glenn Kenobbie | 6/27/2012 | | 692 |
| 13355 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 6/27/2012 | | 695 |
| 12979 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.76 | YES | JASON | 4/30/2011 | | 427 |
| 12980 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.82 | YES | JASON | 4/30/2011 | | 428 |
| 12981 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6 | YES | JASON | 4/30/2011 | | 429 |
| 12982 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.15 | YES | JASON | 4/30/2011 | | 430 |
| 13468 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.6 | YES | Glenn Kenobbie | 6/29/2012 | Drains into crossdrain | 801 |
| 13472 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | BURIED | INTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | | Glenn Kenobbie | 6/29/2012 | | 805 |
| 12787 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 11.15 | YES | KEVIN | 4/27/2011 | | 246 |
| 12788 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.77 | YES | KEVIN | 4/27/2011 | | 247 |
| 12789 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 7.04 | YES | KEVIN | 4/27/2011 | | 248 |
| 12790 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | MINOR | EXTERIOR | NONE | GOOD | 7.1 | YES | KEVIN | 4/27/2011 | | 249 |
| 12987 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 12.38 | YES | JASON | 4/30/2011 | | 435 |
| 12988 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.9 | YES | JASON | 4/30/2011 | | 436 |
| 12989 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.12 | YES | JASON | 4/30/2011 | | 437 |
| 12997 | CATCH_BASIN | INLET | N/A | NONE | N/A | BURIED | INTERIOR | NONE | N/A | N/A | NONE | N/A | NONE | GOOD | YES | | JASON | 4/30/2011 | | 445 |
| 13481 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/2/2012 | | 814 |
| 13485 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/2/2012 | | 818 |
| 14720 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.76 | YES | Jason Ray | 9/9/2010 | | 1817 |
| 14721 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.86 | YES | Jason Ray | 9/9/2010 | | 1818 |
| 12999 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | BOTH | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.22 | YES | JASON | 4/30/2011 | | 447 |
| 13004 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.63 | YES | JASON | 4/30/2011 | | 452 |
| 13006 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.04 | YES | JASON | 4/30/2011 | | 454 |
| 13008 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.61 | YES | JASON | 4/30/2011 | | 456 |
| 13009 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.76 | YES | JASON | 4/30/2011 | | 457 |
| 13278 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 4/19/2012 | | 647 |
| 13279 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.1 | YES | Glenn Kenobbie | 4/19/2012 | | 648 |
| 13280 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.8 | YES | Glenn Kenobbie | 4/19/2012 | | 655 |
| 12846 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.34 | YES | JASON | 4/28/2011 | | 301 |
| 12847 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 2.13 | YES | JASON | 4/28/2011 | | 302 |
| 12854 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.42 | YES | JASON | 4/28/2011 | | 309 |
| 12856 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.93 | YES | JASON | 4/28/2011 | | 311 |
| 12858 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.22 | YES | JASON | 4/28/2011 | | 313 |
| 12859 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 9.18 | YES | JASON | 4/28/2011 | | 314 |
| 12880 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.36 | YES | JASON | 4/28/2011 | | 334 |
| 12884 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3.89 | YES | JASON | 4/28/2011 | Yard drains present | 336 |
| 12886 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3.29 | YES | JASON | 4/28/2011 | | 338 |
| 12890 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.87 | YES | JASON | 4/28/2011 | | 342 |
| 12891 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | N/A | NONE | NONE | N/A | NONE | GOOD | 7.39 | YES | JASON | 4/28/2011 | | 343 |
| 12892 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.56 | YES | JASON | 4/28/2011 | | 344 |
| 14212 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 7/19/2012 | | 1256 |
| 14722 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.11 | YES | Jason Ray | 9/9/2010 | | 1819 |
| 14723 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 9.09 | YES | Jason Ray | 9/9/2010 | | 1820 |
| 13288 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.3 | YES | Glenn Kenobbie | 4/9/2012 | | 506 |
| 13289 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.4 | YES | Glenn Kenobbie | 4/9/2012 | | 507 |
| 14730 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | BOTH | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 8.29 | YES | Jason Ray | 9/9/2010 | | 1827 |
| 14731 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | BOTH | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.19 | YES | Jason Ray | 9/9/2010 | | 1828 |
| 12795 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.2 | YES | KEVIN | 4/27/2011 | | 254 |
| 12798 | CATCH_BASIN | INLET | BRICK | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 2.35 | YES | KEVIN | 4/27/2011 | | 257 |
| 12799 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 2.25 | YES | KEVIN | 4/27/2011 | | 258 |
| 13292 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.3 | YES | Glenn Kenobbie | 4/10/2012 | | 510 |
| 14732 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 9.76 | YES | Jason Ray | 9/9/2010 | | 1829 |
| 14734 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.76 | YES | Jason Ray | 9/9/2010 | | 1831 |
| 14735 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 7.17 | YES | Jason Ray | 9/9/2010 | | 1832 |
| 13294 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.6 | YES | Glenn Kenobbie | 4/10/2012 | | 513 |
| 13295 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.3 | YES | Glenn Kenobbie | 4/10/2012 | | 512 |
| 13299 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 14.1 | YES | Glenn Kenobbie | 4/10/2012 | | 519 |
| 13300 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | | Glenn Kenobbie | 4/10/2012 | | 518 |
| 13309 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 4/10/2012 | | 524 |
| 14736 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.64 | YES | Jason Ray | 9/9/2010 | | 1833 |
| 14737 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.15 | YES | Jason Ray | 9/9/2010 | | 1834 |

| | | | | | | | | | | | | | | | | | | |
|-------------------|-------|--------------|----------|----------|---------------------------|----------|-------------|----------|----------|-------|----------|------|------------|-------|-------|----------------|-----------|------|
| 13517 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 7/2/2012 | 842 |
| 12814 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.05 | YES | KEVIN | 4/27/2011 | 273 |
| 12815 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.4 | YES | KEVIN | 4/27/2011 | 274 |
| 12820 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.5 | YES | KEVIN | 4/27/2011 | 275 |
| 12821 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | MINOR | EXTERIOR | NONE | GOOD | 6 | YES | KEVIN | 4/27/2011 | 276 |
| 12825 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.2 | YES | KEVIN | 4/27/2011 | 280 |
| 12826 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.7 | YES | KEVIN | 4/27/2011 | 281 |
| 12827 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.1 | YES | KEVIN | 4/27/2011 | 282 |
| 13521 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.8 | YES | Glenn Kenobbie | 7/2/2012 | 846 |
| 13531 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/2/2012 | 855 |
| 13536 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.1 | YES | Glenn Kenobbie | 7/2/2012 | 859 |
| 14738 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.52 | YES | Jason Ray | 9/9/2010 | 1835 |
| 14741 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 5.08 | YES | Jason Ray | 9/9/2010 | 1838 |
| 15169 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | GOOD | 9.9 | YES | Glenn Kenobbie | 1/26/2012 | 104 |
| 14214 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 7/19/2012 | 1252 |
| 14743 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.78 | YES | Jason Ray | 9/9/2010 | 1840 |
| 14744 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.44 | YES | Jason Ray | 9/9/2010 | 1841 |
| 14745 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.55 | YES | Jason Ray | 9/9/2010 | 1842 |
| 14746 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.79 | YES | Jason Ray | 9/9/2010 | 1843 |
| 15173 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 7.2 | YES | Glen Kenobbie | 1/26/2012 | 109 |
| 15174 CATCH_BASIN | INLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | SIGNIFICANT | INTERIOR | FLOWING | N/A | N/A | NONE | GOOD | 6.5 | YES | Glen Kenobbie | 1/26/2012 | 110 |
| 12829 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.8 | YES | KEVIN | 4/27/2011 | 284 |
| 12830 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 6 | YES | KEVIN | 4/27/2011 | 285 |
| 12831 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.4 | YES | KEVIN | 4/27/2011 | 286 |
| 12832 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | EXTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.3 | YES | KEVIN | 4/27/2011 | 287 |
| 12833 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | N/A | NONE | NONE | N/A | NONE | GOOD | 13.4 | YES | KEVIN | 4/27/2011 | 288 |
| 12837 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.8 | NO | KEVIN | 4/27/2011 | 292 |
| 12838 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | NO | KEVIN | 4/27/2011 | 293 | |
| 14747 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 9.33 | YES | Jason Ray | 9/9/2010 | 1844 |
| 14750 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.47 | YES | Jason Ray | 9/9/2010 | 1847 |
| 14751 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.81 | YES | Jason Ray | 9/9/2010 | 1848 |
| 14752 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 10.39 | YES | Jason Ray | 9/9/2010 | 1849 |
| 13541 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/3/2012 | 864 |
| 13542 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 7/3/2012 | 865 |
| 13547 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 7/3/2012 | 870 |
| 12841 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.7 | YES | KEVIN | 4/27/2011 | 296 |
| 12842 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.8 | YES | KEVIN | 4/27/2011 | 297 |
| 12843 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | KEVIN | 4/27/2011 | 298 |
| 12844 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.8 | YES | KEVIN | 4/27/2011 | 299 |
| 12845 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | KEVIN | 4/27/2011 | 300 |
| 13646 CATCH_BASIN | INLET | BRICK | MODERATE | INTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | 5.3 | YES | Glenn Kenobbie | 7/11/2012 | 964 |
| 13647 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | N/A | NO_OPENING | 6.2 | YES | Glenn Kenobbie | 7/11/2012 | 965 |
| 13570 CATCH_BASIN | INLET | BRICK | MODERATE | EXTERIOR | NONE | N/A | MODERATE | BOTH | STANDING | NONE | N/A | NONE | GOOD | 12 | YES | Glenn Kenobbie | 7/3/2012 | 892 |
| 13571 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 7/3/2012 | 893 |
| 13572 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 7/3/2012 | 894 |
| 13575 CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.1 | YES | Glenn Kenobbie | 7/3/2012 | 896 |
| 13577 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.3 | YES | Glenn Kenobbie | 7/3/2012 | 898 |
| 13580 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 7/3/2012 | 901 |
| 13581 CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | GOOD | 3 | YES | Glenn Kenobbie | 7/3/2012 | 902 |
| 13582 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.5 | YES | Glenn Kenobbie | 7/3/2012 | 903 |
| 13610 CATCH_BASIN | INLET | CONCRETE | SEVERE | INTERIOR | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 7/5/2012 | 930 |
| 13622 CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.8 | YES | Glenn Kenobbie | 7/5/2012 | 942 |
| 13624 CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 76%-99% OF PIPE DIAMETER | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/5/2012 | 944 |
| 13629 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 7.3 | YES | Glenn Kenobbie | 7/5/2012 | 949 |
| 13630 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 6.5 | YES | Glenn Kenobbie | 7/5/2012 | 950 |
| 13634 CATCH_BASIN | INLET | BRICK | SEVERE | EXTERIOR | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.1 | YES | Glenn Kenobbie | 7/5/2012 | 954 |
| 13635 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 4.2 | YES | Glenn Kenobbie | 7/5/2012 | 955 |
| 13638 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 10.6 | YES | Glenn Kenobbie | 7/5/2012 | 958 |
| 13639 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | 4.2 | YES | Glenn Kenobbie | 7/5/2012 | 959 |
| 13641 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | 3.6 | YES | Glenn Kenobbie | 7/5/2012 | 961 |
| 13642 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 5.6 | YES | Glenn Kenobbie | 7/5/2012 | 962 |
| 13650 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | NO_OPENING | 3.5 | YES | Glenn Kenobbie | 7/11/2012 | 968 |
| 13651 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 3.7 | YES | Glenn Kenobbie | 7/11/2012 | 969 |
| 13653 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.5 | YES | Glenn Kenobbie | 7/11/2012 | 971 |
| 13654 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 5.1 | YES | Glenn Kenobbie | 7/11/2012 | 972 |
| 14757 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | BOTH | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.84 | YES | Jason Ray | 9/9/2010 | 1854 |
| 14758 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.94 | YES | Jason Ray | 9/9/2010 | 1855 |
| 13656 CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.7 | YES | Glenn Kenobbie | 7/11/2012 | 974 |
| 13657 CATCH_BASIN | INLET | BRICK | NONE | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.5 | YES | Glenn Kenobbie | 7/11/2012 | 975 |
| 13658 CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 5.4 | YES | Glenn Kenobbie | 7/11/2012 | 976 |
| 13660 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | 3.4 | YES | Glenn Kenobbie | 7/11/2012 | 978 |
| 13661 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 3.5 | YES | Glenn Kenobbie | 7/11/2012 | 979 |
| 13663 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 8.2 | YES | Glenn Kenobbie | 7/11/2012 | 981 |
| 13664 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 8.4 | YES | Glenn Kenobbie | 7/11/2012 | 982 |
| 14223 CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 7/19/2012 | 1280 |
| 14759 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 76%-99% OF PIPE DIAMETER | EXTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.38 | YES | Jason Ray | 9/9/2010 | 1856 |
| 14763 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.11 | YES | Jason Ray | 9/9/2010 | 1860 |
| 14226 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 7/19/2012 | 1305 |
| 14227 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.4 | YES | Glenn Kenobbie | 7/19/2012 | 1283 |
| 14228 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/19/2012 | 1284 |
| 14229 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.3 | YES | Glenn Kenobbie | 7/ | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|-------------|-------|--------------|----------|----------|--------------------------|----------|-------------|----------|----------|------|-----|------|------------|------|----------------|----------------|--------------------------|------------------------------------|------|
| 13849 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/17/2012 | 1150 | |
| 13667 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 3.8 | YES | Glenn Kenobbie | 7/11/2012 | 985 | |
| 13669 | CATCH_BASIN | INLET | BRICK | MODERATE | INTERIOR | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 4.7 | YES | Glenn Kenobbie | 7/11/2012 | 987 | |
| 13671 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 7.4 | YES | Glenn Kenobbie | 7/11/2012 | 989 | |
| 13673 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | NO_OPENING | 7.6 | YES | Glenn Kenobbie | 7/11/2012 | 990 | |
| 13974 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 7/19/2012 | 1270 | |
| 14242 | CATCH_BASIN | INLET | CINDER_BLOCK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.1 | YES | Glenn Kenobbie | 7/19/2012 | 1299 | |
| 14243 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 7/19/2012 | 1292 | |
| 13676 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 4.6 | YES | Glenn Kenobbie | 7/11/2012 | 993 | |
| 13677 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 5.6 | YES | Glenn Kenobbie | 7/11/2012 | 994 | |
| 13679 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 6.3 | YES | Glenn Kenobbie | 7/11/2012 | 996 | |
| 13680 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 6.8 | YES | Glenn Kenobbie | 7/11/2012 | 997 | |
| 13855 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.3 | YES | Glenn Kenobbie | 8/2/2012 | 1156 | |
| 13856 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.6 | YES | Glenn Kenobbie | 8/2/2012 | 1157 | |
| 13857 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | Glenn Kenobbie | 8/2/2012 | 1158 | |
| 13858 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 15.3 | YES | Glenn Kenobbie | 8/2/2012 | 1159 | |
| 13859 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 9.6 | NO | Glenn Kenobbie | 8/2/2012 | 1160 | |
| 13861 | CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.7 | YES | Glenn Kenobbie | 8/1/2012 | 1162 | |
| 13862 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.3 | YES | Glenn Kenobbie | 8/1/2012 | 1163 | |
| 13863 | CATCH_BASIN | INLET | CONCRETE | MINOR | INTERIOR | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 8/1/2012 | 1164 | |
| 13864 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | FLOWING | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kenobbie | 8/1/2012 | 1165 | |
| 13865 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 4.8 | YES | Glenn Kenobbie | 8/1/2012 | 1166 | |
| 13868 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.8 | YES | Glenn Kenobbie | 8/2/2012 | 1169 | |
| 13878 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 7/18/2012 | 1178 | |
| 13879 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 7/18/2012 | 1179 | |
| 13880 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 6.4 | YES | Glenn Kenobbie | 7/18/2012 | 1180 | |
| 13881 | CATCH_BASIN | INLET | BRICK | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | SEALED | YES | Glenn Kenobbie | 7/18/2012 | No access, lid welded | 1181 | |
| 13882 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 3.7 | YES | Glenn Kenobbie | 7/18/2012 | No access, lid welded | 1182 |
| 13883 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | YES | Glenn Kenobbie | 7/18/2012 | No access, lid welded | 1183 | |
| 13886 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 7/18/2012 | 1186 | |
| 13888 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 7/18/2012 | 1188 | |
| 13889 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 7/18/2012 | 1189 | |
| 13891 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 1.9 | YES | Glenn Kenobbie | 7/18/2012 | 1191 | |
| 13683 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 3.4 | YES | Glenn Kenobbie | 7/11/2012 | 1000 | |
| 13684 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 3.6 | YES | Glenn Kenobbie | 7/11/2012 | 1001 | |
| 13689 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | NO_OPENING | 8.2 | YES | Glenn Kenobbie | 7/11/2012 | Catch basin drops directly into be | 1006 |
| 13690 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | NO_OPENING | 8.1 | YES | Glenn Kenobbie | 7/11/2012 | Catch basin drops directly into be | 1007 |
| 13691 | CATCH_BASIN | INLET | CONCRETE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | SEALED | YES | Glenn Kenobbie | 7/12/2012 | No access | 1008 | |
| 13692 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/12/2012 | No pipe pictures due to water in | 1009 |
| 14050 | CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6 | YES | Glenn Kenobbie | 8/2/2012 | Top is broken | 1338 |
| 13694 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.7 | YES | Glenn Kenobbie | 7/12/2012 | 1011 | |
| 13695 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9.7 | YES | Glenn Kenobbie | 7/12/2012 | 1012 | |
| 13696 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.1 | YES | Glenn Kenobbie | 7/12/2012 | 1013 | |
| 13697 | CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 8.7 | YES | Glenn Kenobbie | 7/12/2012 | Top is broken | 1014 |
| 13698 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.6 | YES | Glenn Kenobbie | 7/12/2012 | 1015 | |
| 13699 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 7.9 | YES | Glenn Kenobbie | 7/12/2012 | 1016 | |
| 13700 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9.2 | YES | Glenn Kenobbie | 7/12/2012 | 1017 | |
| 13701 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 11.9 | YES | Glenn Kenobbie | 7/12/2012 | 1018 | |
| 13703 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.4 | YES | Glenn Kenobbie | 7/12/2012 | 1020 | |
| 13704 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 7.4 | YES | Glenn Kenobbie | 7/12/2012 | 1021 | |
| 14765 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 9/9/2010 | 1862 | |
| 14766 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.7 | YES | Jason Ray | 9/9/2010 | 1863 | |
| 14769 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.27 | YES | Jason Ray | 9/10/2010 | 1866 | |
| 13986 | CATCH_BASIN | INLET | BRICK | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | BURIED | INTERIOR | N/A | NONE | N/A | NONE | GOOD | YES | Glenn Kenobbie | 7/19/2012 | Structure full of debris | 1281 | |
| 14770 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 9.39 | YES | Jason Ray | 9/10/2010 | 1867 | |
| 14772 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.08 | YES | Jason Ray | 9/10/2010 | 1869 | |
| 14774 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.85 | YES | Jason Ray | 9/10/2010 | 1871 | |
| 13719 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 7/12/2012 | 1035 | |
| 13720 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 7/12/2012 | 1036 | |
| 13727 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 2.8 | YES | Glenn Kenobbie | 7/12/2012 | 1041 | |
| 14251 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.4 | YES | Glenn Kenobbie | 8/2/2012 | 1348 | |
| 14252 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 8/2/2012 | 1349 | |
| 14254 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kenobbie | 8/6/2012 | 1377 | |
| 14256 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 8/6/2012 | 1379 | |
| 14258 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | Glenn Kenobbie | 8/2/2012 | 1346 | |
| 14262 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | Glenn Kenobbie | 8/6/2012 | 1370 | |
| 14264 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.4 | YES | Glenn Kenobbie | 8/6/2012 | 1373 | |
| 14272 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Glenn Kenobbie | 8/6/2012 | 1398 | |
| 14273 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 8/6/2012 | 1399 | |
| 14284 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 8/1/2012 | 1329 | |
| 14285 | CATCH_BASIN | INLET | CONCRETE | MINOR | INTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | ID | GOOD | 5 | YES | Glenn Kenobbie | 8/1/2012 | 1330 | |
| 14290 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 8/2/2012 | 1336 | |
| 14291 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kenobbie | 8/2/2012 | 1337 | |
| 14294 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.4 | YES | Glenn Kenobbie | 8/7/2012 | 1425 | |
| 14295 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 8/7/2012 | 1426 | |
| 14296 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7 | YES | Glenn Kenobbie | 8/7/2012 | 1423 | |
| 14298 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 8/7/2012 | 1428 | |
| 14299 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | NONE | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|-------------|-------|----------|----------|----------|--------------------------|----------|-------------|----------|-------------|----------|----------|------|--------|------|-----|----------------|-----------|-----------------------------------|------|
| 14358 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 5.5 | YES | Jason Ray | 9/18/2012 | 1493 | |
| 14360 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/18/2012 | 1495 | |
| 14361 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 4 | YES | Jason Ray | 9/18/2012 | 1496 | |
| 14364 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | SEALED | 4.2 | YES | Jason Ray | 9/18/2012 | Lid stuck | 1498 |
| 14365 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | N/A | N/A | NONE | SEALED | 4 | YES | Jason Ray | 9/18/2012 | Lid stuck | 1499 |
| 14467 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 9/24/2012 | 1587 | |
| 14469 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.5 | YES | Jason Ray | 9/24/2012 | 1589 | |
| 14470 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.7 | YES | Jason Ray | 9/24/2012 | 1590 | |
| 14367 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | SEALED | 5.2 | YES | Jason Ray | 9/18/2012 | Lid stuck, no access | 1501 |
| 14369 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | N/A | N/A | NONE | SEALED | 4.2 | YES | Jason Ray | 9/18/2012 | Lid stuck | 1503 |
| 14370 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 4.8 | YES | Jason Ray | 9/18/2012 | 1504 | |
| 14374 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | SEALED | 4.1 | YES | Jason Ray | 9/20/2012 | 1507 | |
| 14376 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 9.7 | YES | Jason Ray | 9/20/2012 | 1509 | |
| 14890 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.3 | YES | Jason Ray | 9/11/2010 | 1987 | |
| 14891 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.85 | YES | Jason Ray | 9/11/2010 | 1988 | |
| 14166 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.7 | YES | Glenn Kennoble | 8/7/2012 | E & S in place | 1445 |
| 14167 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.9 | YES | Glenn Kennoble | 8/7/2012 | E & S in place | 1446 |
| 14168 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | GOOD | 8.2 | YES | Glenn Kennoble | 8/7/2012 | E & S in place | 1447 |
| 14321 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | GOOD | 10.5 | YES | Glenn Kennoble | 8/8/2012 | 1450 | |
| 14323 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kennoble | 8/8/2012 | 1452 | |
| 14324 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kennoble | 8/8/2012 | 1453 | |
| 14325 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kennoble | 8/8/2012 | 1454 | |
| 14326 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kennoble | 8/8/2012 | 1455 | |
| 14478 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6 | YES | Jason Ray | 9/24/2012 | 1596 | |
| 14378 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | SEALED | 4.2 | YES | Jason Ray | 9/20/2012 | Lid stuck, no access | 1511 |
| 14379 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 4.1 | YES | Jason Ray | 9/20/2012 | 1512 | |
| 14384 | CATCH_BASIN | INLET | CONCRETE | SEVERE | BOTH | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 14.3 | YES | Jason Ray | 9/20/2012 | No access, cracked lid and throat | 1517 |
| 14490 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | N/A | N/A | NONE | GOOD | 11.7 | YES | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1608 |
| 14491 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | N/A | N/A | NONE | GOOD | 12.2 | YES | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1609 |
| 14492 | CATCH_BASIN | INLET | CONCRETE | SEVERE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.4 | YES | Jason Ray | 9/24/2012 | Top is broken | 1610 |
| 14495 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.6 | YES | Jason Ray | 9/24/2012 | 1613 | |
| 14496 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.6 | YES | Jason Ray | 9/24/2012 | 1614 | |
| 14386 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | SEALED | 5 | YES | Jason Ray | 9/20/2012 | Lid stuck, no access | 1519 |
| 14387 | CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 9/20/2012 | Lid cracked | 1520 |
| 14389 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7.5 | YES | Jason Ray | 9/20/2012 | 1522 | |
| 14390 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.8 | YES | Jason Ray | 9/20/2012 | 1523 | |
| 14395 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 4.8 | YES | Jason Ray | 9/20/2012 | Too deep for pipe pictures | 1525 |
| 14396 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/20/2012 | 1526 | |
| 14399 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | STANDING | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/20/2012 | 1529 |
| 14400 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 4.8 | YES | Jason Ray | 9/20/2012 | 1530 | |
| 14401 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | EXTERIOR | SUBMERGED | N/A | N/A | NONE | GOOD | 4.1 | YES | Jason Ray | 9/20/2012 | 1531 | |
| 14403 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 9/20/2012 | 1533 | |
| 14405 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 5.7 | YES | Jason Ray | 9/20/2012 | 1535 | |
| 14406 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 9/20/2012 | 1536 | |
| 14407 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5 | YES | Jason Ray | 9/20/2012 | 1537 | |
| 14410 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 3.9 | YES | Jason Ray | 9/20/2012 | 1539 | |
| 14412 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.9 | YES | Jason Ray | 9/20/2012 | 1541 | |
| 14414 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.4 | YES | Jason Ray | 9/20/2012 | 1543 | |
| 14416 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.5 | YES | Jason Ray | 9/20/2012 | 1545 | |
| 14508 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 8 | YES | Jason Ray | 9/25/2012 | 1625 | |
| 14509 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 7.2 | YES | Jason Ray | 9/25/2012 | 1626 | |
| 14515 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 8.4 | YES | Jason Ray | 9/25/2012 | 1629 | |
| 14518 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 8.5 | YES | Jason Ray | 9/25/2012 | 1632 | |
| 14521 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.7 | YES | Jason Ray | 9/25/2012 | 1635 | |
| 14418 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.3 | YES | Jason Ray | 9/20/2012 | 1546 | |
| 14423 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.3 | YES | Jason Ray | 9/20/2012 | 1549 | |
| 14424 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 9/20/2012 | 1550 | |
| 14425 | CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.6 | YES | Jason Ray | 9/20/2012 | 1551 | |
| 14426 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.9 | YES | Jason Ray | 9/20/2012 | 1552 | |
| 14522 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.5 | YES | Jason Ray | 9/25/2012 | 1636 | |
| 14527 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 6.5 | YES | Jason Ray | 9/25/2012 | 1640 | |
| 14529 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 7 | YES | Jason Ray | 9/25/2012 | 1642 | |
| 14530 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 8.7 | YES | Jason Ray | 9/25/2012 | 1643 | |
| 14532 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | N/A | N/A | NONE | GOOD | 21.5 | YES | Jason Ray | 9/25/2012 | Too deep for pipe pictures | 1645 |
| 14428 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 8 | YES | Jason Ray | 9/20/2012 | 1554 | |
| 14429 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7 | YES | Jason Ray | 9/20/2012 | 1555 | |
| 14430 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 9/20/2012 | 1556 | |
| 14431 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.3 | YES | Jason Ray | 9/20/2012 | 1557 | |
| 14439 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 6.8 | YES | Jason Ray | 9/20/2012 | 1562 | |
| 14440 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 8.5 | YES | Jason Ray | 9/20/2012 | 1563 | |
| 14441 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 7.5 | YES | Jason Ray | 9/20/2012 | 1564 | |
| 14536 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 7.1 | YES | Jason Ray | 9/25/2012 | 1649 | |
| 14537 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.1 | YES | Jason Ray | 9/25/2012 | 1650 | |
| 14442 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 11.1 | YES | Jason Ray | 9/20/2012 | Too deep for pipe pictures | 1565 |
| 14443 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 11.2 | YES | Jason Ray | 9/20/2012 | Too deep for pipe pictures | 1566 |
| 14445 | CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | N/A | N/A | NONE | GOOD | 7.6 | YES | Jason Ray | 9/20/2012 | Top is broken | 1568 |
| 14446 | CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.6 | YES | Jason Ray | 9/20/2012 | 1569 | |
| 14447 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/24/2012 | 1570 | |
| 14449 | CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|-------------------|-------|----------|----------|----------|--------------------------|----------|-------------|----------|----------|------|-----|------|------------|----------|-----------|-----------|-----------------------------------|------|
| 14906 CATCH_BASIN | INLET | BRICK | NONE | N/A | BURIED | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/11/2010 | No depth due to sediment | 2003 |
| 14579 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | N/A | GOOD | 10.5 YES | Jason Ray | 9/26/2012 | Too deep for pipe pictures | 1687 |
| 14582 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 7.8 YES | Jason Ray | 9/26/2012 | | 1689 |
| 14585 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 8.2 YES | Jason Ray | 9/26/2012 | | 1692 |
| 14588 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7 YES | Jason Ray | 9/27/2012 | | 1695 |
| 14596 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.3 YES | Jason Ray | 9/27/2012 | | 1696 |
| 14597 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 11.9 YES | Jason Ray | 9/27/2012 | Too deep for pipe pictures | 1697 |
| 14602 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.8 YES | Jason Ray | 9/27/2012 | | 1702 |
| 14603 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | N/A | N/A | NONE | GOOD | 5.2 YES | Jason Ray | 9/27/2012 | | 1703 |
| 14608 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 7.8 YES | Jason Ray | 9/27/2012 | | 1708 |
| 14609 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 8.3 YES | Jason Ray | 9/27/2012 | | 1709 |
| 14610 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7.4 YES | Jason Ray | 9/27/2012 | | 1710 |
| 14611 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7.8 YES | Jason Ray | 9/27/2012 | | 1711 |
| 14612 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.7 YES | Jason Ray | 9/27/2012 | | 1712 |
| 14613 CATCH_BASIN | INLET | BRICK | MODERATE | INTERIOR | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7.1 YES | Jason Ray | 9/27/2012 | wall cracked | 1713 |
| 14616 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.3 YES | Jason Ray | 9/27/2012 | | 1716 |
| 14617 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.6 YES | Jason Ray | 9/27/2012 | | 1717 |
| 14620 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.2 YES | Jason Ray | 9/27/2012 | | 1718 |
| 14622 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.1 YES | Jason Ray | 9/27/2012 | | 1720 |
| 14909 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.6 YES | Jason Ray | 9/11/2010 | | 2006 |
| 14910 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.8 YES | Jason Ray | 9/11/2010 | | 2007 |
| 14912 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | YES | Jason Ray | 9/11/2010 | No opening, no dpeth taken | 2009 |
| 14914 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.4 YES | Jason Ray | 9/11/2010 | | 2011 |
| 14917 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.9 YES | Jason Ray | 9/11/2010 | | 2014 |
| 14919 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.4 YES | Jason Ray | 9/11/2010 | | 2016 |
| 14920 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3 YES | Jason Ray | 9/11/2010 | | 2017 |
| 14923 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.5 YES | Jason Ray | 9/11/2010 | | 2020 |
| 14929 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.3 YES | Jason Ray | 9/11/2010 | | 2026 |
| 14936 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/11/2010 | Could not get depth | 2033 |
| 14939 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.1 YES | Jason Ray | 9/11/2010 | | 2036 |
| 14943 CATCH_BASIN | INLET | BRICK | NONE | N/A | 26%-75% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.6 YES | Jason Ray | 9/11/2010 | | 2040 |
| 14944 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 76%-99% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/11/2010 | No depth due to sediment | 2041 |
| 14945 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.2 YES | Jason Ray | 9/11/2010 | | 2042 |
| 14946 CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | 76%-99% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/11/2010 | No depth due to sediment | 2043 |
| 14951 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.7 YES | Jason Ray | 9/11/2010 | | 2048 |
| 14952 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.3 YES | Jason Ray | 9/11/2010 | | 2049 |
| 14955 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 10.9 YES | Jason Ray | 9/11/2010 | | 2052 |
| 14956 CATCH_BASIN | INLET | BRICK | NONE | N/A | 76%-99% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | Jason Ray | 9/11/2010 | Could not get depth due to sedin | 2053 |
| 14958 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.7 YES | Jason Ray | 9/11/2010 | | 2055 |
| 14960 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.1 YES | Jason Ray | 9/11/2010 | | 2057 |
| 14966 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 10.8 YES | Jason Ray | 9/11/2010 | Catch basin on top of box culvert | 2063 |
| 14967 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.9 YES | Jason Ray | 9/11/2010 | | 2064 |
| 14969 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 8.4 YES | Jason Ray | 9/12/2010 | | 2066 |
| 14971 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.7 YES | Jason Ray | 9/12/2010 | | 2068 |
| 14972 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 4.2 YES | Jason Ray | 9/12/2010 | | 2069 |
| 14973 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.8 YES | Jason Ray | 9/12/2010 | | 2070 |
| 14974 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 11.9 YES | Jason Ray | 9/12/2010 | Catch basin on top of box culvert | 2071 |
| 14977 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.3 YES | Jason Ray | 9/12/2010 | | 2074 |
| 14980 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 13.2 YES | Jason Ray | 9/12/2010 | | 2077 |
| 14982 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.4 YES | Jason Ray | 9/12/2010 | | 2079 |
| 14986 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | N/A | STANDING | N/A | N/A | N/A | GOOD | 18.9 YES | Jason Ray | 9/12/2010 | Could not see bottom of structur | 2083 |
| 14988 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.7 YES | Jason Ray | 9/12/2010 | | 2085 |
| 14991 CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.9 YES | Jason Ray | 9/12/2010 | | 2088 |
| 14992 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.4 YES | Jason Ray | 9/12/2010 | | 2089 |
| 14993 CATCH_BASIN | INLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5 YES | Jason Ray | 9/12/2010 | | 2090 |
| 14995 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | FLOWING | NONE | N/A | NONE | GOOD | 7.1 YES | Jason Ray | 9/12/2010 | | 2092 |
| 14996 CATCH_BASIN | INLET | CONCRETE | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.2 YES | Jason Ray | 9/12/2010 | | 2093 |
| 14998 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 10 YES | Jason Ray | 9/12/2010 | | 2095 |
| 15000 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.1 YES | Jason Ray | 9/12/2010 | | 2097 |
| 15001 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.4 YES | Jason Ray | 9/12/2010 | | 2098 |
| 15002 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 17.9 YES | Jason Ray | 9/12/2010 | | 2099 |
| 15005 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 14.9 YES | Jason Ray | 9/12/2010 | | 2102 |
| 15009 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 14.7 YES | Jason Ray | 9/12/2010 | | 2106 |
| 15010 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.5 YES | Jason Ray | 9/12/2010 | | 2107 |
| 15012 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.7 YES | Jason Ray | 9/12/2010 | | 2109 |
| 15014 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.5 YES | Jason Ray | 9/12/2010 | | 2111 |
| 15015 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.8 YES | Jason Ray | 9/12/2010 | | 2112 |
| 15017 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 15.7 YES | Jason Ray | 9/12/2010 | | 2114 |
| 15018 CATCH_BASIN | INLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.8 YES | Jason Ray | 9/12/2010 | | 2115 |
| 15020 CATCH_BASIN | INLET | CONCRETE | SEVERE | EXTERIOR | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.7 YES | Jason Ray | 9/12/2010 | | 2117 |
| 15022 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.4 YES | Jason Ray | 9/12/2010 | | 2119 |
| 15023 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.5 YES | Jason Ray | 9/12/2010 | | 2120 |
| 15026 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.8 YES | Jason Ray | 9/12/2010 | | 2123 |
| 15028 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.5 YES | Jason Ray | 9/12/2010 | | 2125 |
| 15031 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.9 NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2128 |
| 15032 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.3 NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2129 |
| 15035 CATCH_BASIN | INLET | CONCRETE | MINOR | EXTERIOR | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.5 NO | Jason Ray | 9/12/2010 | | 2132 |
| 15037 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.8 YES | Jason Ray | 9/12/2010 | | 2134 |
| 15040 CATCH_BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.55 YES | Jason Ray | 9/12/2010 | | 2137 |
| 15042 CATCH_BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 2.7 YES | Jason Ray | 9/12/2010 | | 2139 |
| 15048 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4 YES | Jason Ray | 9/12/2010 | | 2145 |
| 15049 CATCH_BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--------|----------|----------|----------|-----------------------------------|-------------|-------------|----------|----------|----------|----------|------|------|-----|----------------|----------------|-----------------------------------|----------------------------------|------------|-----|
| 15061 CATCH BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER INTERIOR | MINOR | BOTH | STANDING | NONE | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 9/12/2010 | | 2158 | | |
| 15062 CATCH BASIN | INLET | CONCRETE | NONE | N/A | N/A | N/A | SIGNIFICANT | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.7 | YES | Jason Ray | 9/12/2010 | Could not see bottom of structur | 2159 | |
| 15068 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 6 | YES | Jason Ray | 10/3/2012 | chlorine smell | 2165 | |
| 15069 CATCH BASIN | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.3 | YES | Jason Ray | 10/3/2012 | | 2166 | | |
| 15071 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 10/3/2012 | | 2168 | |
| 15074 CATCH BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER INTERIOR | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 3.5 | YES | Jason Ray | 10/3/2012 | | 2171 | | |
| 15077 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.4 | YES | Glenn Kenobbie | 10/3/2012 | | 2174 | |
| 15078 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 6.6 | YES | Jason Ray | 10/3/2012 | | 2175 | |
| 15079 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.5 | YES | Jason Ray | 10/3/2012 | | 2176 | |
| 15086 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.5 | YES | Jason Ray | 10/3/2012 | | 2183 | |
| 15087 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.2 | YES | Jason Ray | 10/3/2012 | | 2184 | |
| 15090 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 10/3/2012 | | 2187 | |
| 15092 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.8 | YES | Jason Ray | 10/3/2012 | | 2189 | |
| 15093 CATCH BASIN | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.1 | YES | Jason Ray | 10/3/2012 | | 2190 | |
| 15098 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.8 | YES | Jason Ray | 10/3/2012 | | 2195 | |
| 15100 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 6.6 | YES | Jason Ray | 10/3/2012 | | 2197 | |
| 15109 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 7.5 | YES | Jason Ray | 10/3/2012 | | 2206 | |
| 15110 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 7 | YES | Jason Ray | 10/3/2012 | | 2207 | |
| 15112 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 8.9 | YES | Jason Ray | 10/3/2012 | | 2209 | |
| 15117 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.4 | YES | Jason Ray | 10/3/2012 | | 2214 | |
| 15119 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.5 | YES | Jason Ray | 10/3/2012 | | 2216 | |
| 15123 CATCH BASIN | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER INTERIOR | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.3 | YES | Jason Ray | 10/3/2012 | | 2220 | | |
| 15126 CATCH BASIN | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.3 | YES | Jason Ray | 10/3/2012 | | 2223 | |
| END_OF_PIPE Count | | | | | | | | | | | | | | | | | | | 117 | |
| 12534 END_OF_PIPE | OUTLET | OTHER | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/22/2011 | | 3 | |
| 12548 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/22/2011 | | 16 | |
| 12580 END_OF_PIPE | OUTLET | METAL | N/A | N/A | 76%-99% OF PIPE DIAMETER/EXTERIOR | N/A | N/A | STANDING | N/A | N/A | NONE | N/A | | NO | JASON | 4/22/2011 | Could feel structure but no visua | 47 | | |
| 12584 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/22/2011 | | 51 | | |
| 12585 END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/22/2011 | | 52 | | |
| 12597 END_OF_PIPE | INLET | METAL | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/23/2011 | | 64 | | |
| 12601 END_OF_PIPE | OUTLET | HDPE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | NO | JASON | 4/23/2011 | | 68 | |
| 12604 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | NO | JASON | 4/23/2011 | | 71 | |
| 12611 END_OF_PIPE | OUTLET | HDPE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOR | NONE | N/A | | NO | JASON | 4/23/2011 | | 78 | |
| 12616 END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | | YES | JASON | 4/23/2011 | | 83 | | |
| 12619 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | | YES | JASON | 4/23/2011 | | 86 | | |
| 12628 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | | YES | JASON | 4/23/2011 | | 95 | | |
| 12629 END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | | YES | JASON | 4/23/2011 | | 96 | | |
| 12672 END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/25/2011 | | 140 | |
| 12673 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MODERATE | BOTH | STANDING | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/25/2011 | | 141 | | |
| 12674 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | 3.5 | YES | KEVIN | 4/25/2011 | | 142 | |
| 12675 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOR | NONE | N/A | | 3.5 | YES | KEVIN | 4/25/2011 | | 143 |
| 12676 END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | | YES | KEVIN | 4/25/2011 | | 144 | |
| 12677 END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/25/2011 | | 145 | |
| 12678 END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/25/2011 | | 146 | |
| 12685 END_OF_PIPE | INLET | METAL | N/A | N/A | N/A | N/A | BURIED | EXTERIOR | NONE | N/A | N/A | N/A | N/A | | YES | KEVIN | 4/25/2011 | Could not see | 151 | |
| 12700 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/26/2011 | | 163 | |
| 14210 END_OF_PIPE | INLET | METAL | MODERATE | EXTERIOR | 26%-75% OF PIPE DIAMETER/BOTH | SIGNIFICANT | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 7/19/2012 | | 1255 | |
| 14656 END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | 76%-99% OF PIPE DIAMETER/BOTH | SIGNIFICANT | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | NO | Jason Ray | 9/7/2010 | | 1753 | |
| 14663 END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | NO | Jason Ray | 9/7/2010 | | 1760 | | |
| 12927 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOR | NONE | N/A | | YES | JASON | 4/29/2011 | | 378 | |
| 14704 END_OF_PIPE | OUTLET | METAL | N/A | N/A | 76%-99% OF PIPE DIAMETER/INTERIOR | SIGNIFICANT | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | NO | Jason Ray | 9/8/2010 | Long pipe with holes on the side | 1801 | |
| 13362 END_OF_PIPE | OUTLET | OTHER | MINOR | BOTH | NONE | N/A | MINOR | INTERIOR | NONE | MINOR | EXTERIOR | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 701 | |
| 13364 END_OF_PIPE | OUTLET | METAL | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOR | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 703 | |
| 13366 END_OF_PIPE | INLET | CONCRETE | MODERATE | INTERIOR | 76%-99% OF PIPE DIAMETER/BOTH | SIGNIFICANT | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 705 | |
| 13367 END_OF_PIPE | OUTLET | CONCRETE | MODERATE | EXTERIOR | 76%-99% OF PIPE DIAMETER/BOTH | SIGNIFICANT | INTERIOR | NONE | MODERATE | EXTERIOR | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 706 | | |
| 12766 END_OF_PIPE | OUTLET | METAL | MODERATE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S BOTH | MINOR | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 227 | |
| 13374 END_OF_PIPE | INLET | METAL | MODERATE | BOTH | 1%-25% OF PIPE DIAMETER EXTERIOR | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 711 | |
| 13376 END_OF_PIPE | INLET | METAL | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | MODERATE | INTERIOR | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 713 | |
| 13377 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER BOTH | MINOR | BOTH | NONE | MINOR | EXTERIOR | NONE | N/A | | NO | Glenn Kenobbie | 6/27/2012 | | 714 | | |
| 13378 END_OF_PIPE | INLET | METAL | MINOR | EXTERIOR | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/27/2012 | | 715 | |
| 12964 END_OF_PIPE | INLET | HDPE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | JASON | 4/30/2011 | | 412 | |
| 13333 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 76%-99% OF PIPE DIAMETER/BOTH | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/25/2012 | | 680 | |
| 13450 END_OF_PIPE | OUTLET | OTHER | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | NO | Glenn Kenobbie | 6/29/2012 | Material is PVC | 783 | |
| 13452 END_OF_PIPE | INLET | OTHER | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/29/2012 | Material is PVC | 785 | |
| 13464 END_OF_PIPE | OUTLET | CONCRETE | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER BOTH | MODERATE | EXTERIOR | STANDING | MODERATE | EXTERIOR | NONE | N/A | | NO | Glenn Kenobbie | 6/29/2012 | Material is PVC | 797 | | |
| 12786 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 244 | | |
| 12791 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 250 | | |
| 13483 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER BOTH | MINOR | BOTH | NONE | MINOR | EXTERIOR | NONE | N/A | | YES | Glenn Kenobbie | 7/2/2012 | | 816 | | |
| 13487 END_OF_PIPE | INLET | CONCRETE | MINOR | EXTERIOR | 26%-75% OF PIPE DIAMETER/EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 7/2/2012 | | 820 | |
| 13443 END_OF_PIPE | OUTLET | OTHER | NONE | N/A | 1%-25% OF PIPE DIAMETER INTERIOR | MODERATE | BOTH | NONE | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/29/2012 | Material is terra cotta | 776 | |
| 13444 END_OF_PIPE | INLET | OTHER | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | YES | Glenn Kenobbie | 6/29/2012 | Material is terra cotta | 777 | |
| 13445 END_OF_PIPE | OUTLET | OTHER | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | | YES | Glenn Kenobbie | 6/29/2012 | | 778 | |
| 12887 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOR | ID | N/A | | NO | JASON | 4/28/2011 | Possible water leak | 339 | |
| 12796 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 255 | |
| 12797 END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/27/2011 | | 256 | |
| 12800 END_OF_PIPE | OUTLET | METAL | MODERATE | EXTERIOR | 26%-75% OF PIPE DIAMETER/BOTH | MINOR | EXTERIOR | FLOWING | MINOR | EXTERIOR | NONE | N/A | | YES | KEVIN | 4/27/2011 | | 259 | | |
| 12802 END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 261 | |
| 13308 END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | NO | Glenn Kenobbie | 4/10/2012 | | 523 | |
| 12807 END_OF_PIPE | OUTLET | CONCRETE | MODERATE | INTERIOR | 26%-75% OF PIPE DIAMETER/INTERIOR | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | | NO | KEVIN | 4/27/2011 | | 266 | |
| 12808 END_OF_PIPE | OUTLET | METAL | MODERATE | INTERIOR | N/A | N/A | BURIED | EXTERIOR | STANDING | MINOR | EXTERIOR | NONE | N/A | | NO | KEVIN | 4/27/2011 | Could not see due to sediment | 267 | |
| 12809 END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/27/2011 | | 268 | |
| 12811 END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | | YES | KEVIN | 4/27/2011 | | 270 | |
| 12812 END | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|------------------------------------|--------------------|--------|----------|----------|----------|------------------------------------|-------------|-------------|----------|----------|---------------|---------------|------|-----|----------------|----------------|-----------|------|
| 14217 | END_OF_PIPE | INLET | OTHER | MODERATE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1269 | |
| 12836 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | 4/27/2011 | 291 | |
| 13546 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | MODERATE | EXTERIOR/NONE | N/A | N/A | NO | Glenn Kenobbie | 7/3/2012 | 869 | |
| 13599 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | INTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 919 | |
| 13583 | END_OF_PIPE | OUTLET | METAL | MODERATE | EXTERIOR | 76%-99%_OF_PIPE_DIAMETER/EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | 904 | |
| 13604 | END_OF_PIPE | OUTLET | HDPE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 924 |
| 13605 | END_OF_PIPE | INLET | OTHER | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 925 |
| 13607 | END_OF_PIPE | OUTLET | METAL | MINOR | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 927 | |
| 13608 | END_OF_PIPE | OUTLET | METAL | MODERATE | BOTH | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 928 | |
| 14219 | END_OF_PIPE | INLET | METAL | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1279 |
| 13584 | END_OF_PIPE | INLET | METAL | MODERATE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | 905 | |
| 13586 | END_OF_PIPE | OUTLET | METAL | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | 907 | |
| 13652 | END_OF_PIPE | OUTLET | METAL | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MODERATE | EXTERIOR | NONE | MINOR | EXTERIOR/NONE | N/A | N/A | NO | Glenn Kenobbie | 7/11/2012 | 970 | |
| 13914 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/18/2012 | 1211 | |
| 14755 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1852 | |
| 13655 | END_OF_PIPE | OUTLET | METAL | MINOR | BOTH | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 973 | |
| 13662 | END_OF_PIPE | OUTLET | METAL | SEVERE | INTERIOR | NONE | N/A | NONE | N/A | STANDING | MODERATE | EXTERIOR/NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 980 | |
| 13835 | END_OF_PIPE | OUTLET | OTHER | MODERATE | BOTH | 26%-75%_OF_PIPE_DIAMETER/BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/17/2012 | 1138 | |
| 13837 | END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1140 | |
| 13931 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | MINOR | EXTERIOR/NONE | N/A | N/A | NO | Glenn Kenobbie | 7/18/2012 | 1228 | |
| 13848 | END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1149 | |
| 13668 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER/BOTH | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 986 | |
| 13970 | END_OF_PIPE | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/19/2012 | 1266 | |
| 14249 | END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/19/2012 | 1263 |
| 14250 | END_OF_PIPE | OUTLET | CONCRETE | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/19/2012 | 1265 | |
| 13933 | END_OF_PIPE | OUTLET | CONCRETE | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/18/2012 | 1230 | |
| 13870 | END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/18/2012 | 1171 |
| 13893 | END_OF_PIPE | INLET | METAL | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/18/2012 | 1192 | |
| 13932 | END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/18/2012 | 1229 |
| 13904 | END_OF_PIPE | INLET | METAL | SEVERE | INTERIOR | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1201 |
| 13910 | END_OF_PIPE | OUTLET | METAL | MINOR | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/BOTH | MODERATE | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1207 | |
| 14266 | END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | EXTERIOR | NONE | MINOR | EXTERIOR/NONE | N/A | N/A | NO | Glenn Kenobbie | 8/6/2012 | 1357 | |
| 14864 | END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1961 |
| 13804 | END_OF_PIPE | OUTLET | METAL | SEVERE | BOTH | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | FLOWING | SEVERE | EXTERIOR/ID | N/A | N/A | YES | Glenn Kenobbie | 7/16/2012 | 1110 | |
| 13819 | END_OF_PIPE | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1124 |
| 13823 | END_OF_PIPE | INLET | METAL | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1128 | |
| 13827 | END_OF_PIPE | OUTLET | METAL | SEVERE | EXTERIOR | BURIED | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1132 |
| 13830 | END_OF_PIPE | OUTLET | CONCRETE | SEVERE | EXTERIOR | BURIED | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1133 |
| 13834 | END_OF_PIPE | INLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1137 | |
| 14893 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1990 | |
| 14894 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1991 | |
| 14895 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1992 | |
| 14896 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1993 | |
| 14897 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | BOTH | STANDING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1994 | |
| 14898 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1995 | |
| 14899 | END_OF_PIPE | OUTLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | MINOR | EXTERIOR/NONE | N/A | N/A | YES | Jason Ray | 9/11/2010 | 1996 | |
| 14926 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2023 | |
| 14927 | END_OF_PIPE | INLET | METAL | NONE | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2024 |
| 14928 | END_OF_PIPE | INLET | METAL | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2025 |
| 14931 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2028 | |
| 14932 | END_OF_PIPE | INLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2029 | |
| 14933 | END_OF_PIPE | INLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2030 | |
| 14949 | END_OF_PIPE | OUTLET | METAL | MINOR | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2046 | |
| 14976 | END_OF_PIPE | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/12/2010 | 2073 |
| FLARED_END_SECTION Count 26 | | | | | | | | | | | | | | | | | | |
| 12852 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | JASON | 4/28/2011 | 307 | |
| 12662 | FLARED_END_SECTION | OUTLET | METAL | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | NO | KEVIN | 4/25/2011 | 130 |
| 12682 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | KEVIN | 4/25/2011 | 148 | |
| 12683 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | KEVIN | 4/25/2011 | 147 | |
| 13313 | FLARED_END_SECTION | OUTLET | METAL | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | NONE | N/A | NONE | MINOR | EXTERIOR/NONE | N/A | N/A | NO | Glenn Kenobbie | 6/25/2012 | 660 | |
| 13369 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/27/2012 | 707 | |
| 13373 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/27/2012 | 710 |
| 12994 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/30/2011 | 442 | |
| 12996 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/30/2011 | 444 | |
| 13002 | FLARED_END_SECTION | OUTLET | METAL | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 450 | |
| 13495 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/2/2012 | 828 | |
| 13497 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | FLOWING | MINOR | EXTERIOR/NONE | N/A | N/A | YES | Glenn Kenobbie | 7/2/2012 | 830 | |
| 13513 | FLARED_END_SECTION | OUTLET | METAL | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/2/2012 | 839 | |
| 13532 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/2/2012 | 856 | |
| 13850 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1151 |
| 13877 | FLARED_END_SECTION | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/18/2012 | 1177 |
| 13945 | FLARED_END_SECTION | INLET | METAL | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER/EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/18/2012 | 1242 | |
| 14572 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/26/2012 | 1681 | |
| 14924 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2021 | |
| 14930 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2027 |
| 14948 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2045 |
| 14950 | FLARED_END_SECTION | INLET | METAL | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2047 | |
| 14968 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2065 |
| 15073 | FLARED_END_SECTION | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOR/NONE | N/A | YES | Jason Ray | 10/3/2012 | 2170 | |
| 15103 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Jason Ray | 10/3/2012 | 2200 | |
| 15118 | FLARED_END_SECTION | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Jason Ray | 10/3/2012 | 2215 | |
| FLUME Count 15 | | | | | | | | | | | | | | | | | | |
| 12547 | FLUME | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER/EXTERIOR | MINOR | N/A | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/22/2011 | 15 | |
| 12617 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/23/2011 | 84 |
| 12618 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/23/2011 | 85 |
| 12653 | FLUME | OUTLET | CONCRETE | NONE | N/A | 1%-25%_ | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|--------------|--------|---------------|---------------|--------------------------|---------------------------|-------------|-------------|----------|----------|----------|----------|------|--------|-------|----------------|----------------|-----------------------------------|-----------------------------------|------|
| 12969 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/30/2011 | | 417 | |
| 12977 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | JASON | 4/30/2011 | Covered flume | 425 | | |
| 13588 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | | 909 | |
| 13860 | FLUME | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/2/2012 | Flows to Gwinnett County rights | 1161 | |
| 15066 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/7/2010 | | 2163 | |
| 15067 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/18/2010 | | 2164 | |
| 14587 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/26/2012 | | 1694 | |
| 14605 | FLUME | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | EXTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/27/2012 | | 1705 | |
| 15064 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 7/11/2012 | | 2161 | |
| 15065 | FLUME | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 7/17/2012 | | 2162 | |
| GRADED_INLET Count 196 | | | | | | | | | | | | | | | | | | | | |
| 12607 | GRADED_INLET | INLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | JASON | 4/23/2011 | | 74 |
| 12639 | GRADED_INLET | INLET | N/A | N/A | BURIED | INTERIOR | BURIED | INTERIOR | NONE | N/A | N/A | N/A | GOOD | | YES | KEVIN | 4/25/2011 | No access, box full of sediment a | 106 | |
| 12722 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.11 | YES | KEVIN | 4/26/2011 | | 183 |
| 12874 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.86 | YES | JASON | 4/28/2011 | | 328 |
| 13186 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | SEALED | 6 | YES | Glenn Kenobbie | 4/10/2012 | | 536 |
| 13198 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 4/10/2012 | | 532 |
| 14209 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.1 | NO | Glenn Kenobbie | 7/19/2012 | | 1254 |
| 13217 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 9.4 | YES | Glenn Kenobbie | 4/11/2012 | | 544 |
| 13317 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.2 | YES | Glenn Kenobbie | 6/25/2012 | | 664 |
| 12758 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOR | NONE | GOOD | 2.87 | NO | KEVIN | 4/26/2011 | | 218 |
| 14679 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8.05 | NO | Jason Ray | 9/8/2010 | | 1776 |
| 13448 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | SEALED | 12.7 | NO | Glenn Kenobbie | 6/29/2012 | Drains into underground detenti | 781 |
| 13370 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | | YES | Glenn Kenobbie | 6/27/2012 | | 708 |
| 13379 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.9 | YES | Glenn Kenobbie | 6/27/2012 | | 716 |
| 13380 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.1 | YES | Glenn Kenobbie | 6/27/2012 | | 717 |
| 13381 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | IC | GOOD | 9.7 | NO | Glenn Kenobbie | 6/27/2012 | | 718 |
| 13382 | GRADED_INLET | INLET | CONCRETE | N/A | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 10.1 | NO | Glenn Kenobbie | 6/27/2012 | No access due to landscaping | 719 |
| 12966 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.74 | YES | JASON | 4/30/2011 | | 414 |
| 13393 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.9 | YES | Glenn Kenobbie | 6/28/2012 | | 727 |
| 13394 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 6/28/2012 | | 728 |
| 13395 | GRADED_INLET | INLET | CONCRETE | MINOR | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.5 | YES | Glenn Kenobbie | 6/28/2012 | | 729 |
| 13451 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | SEALED | 3 | YES | Glenn Kenobbie | 6/29/2012 | | 784 |
| 13453 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 2.3 | YES | Glenn Kenobbie | 6/29/2012 | | 786 |
| 12974 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 3.17 | YES | JASON | 4/30/2011 | | 422 |
| 12975 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.07 | YES | JASON | 4/30/2011 | | 423 |
| 13410 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.1 | YES | Glenn Kenobbie | 6/28/2012 | | 747 |
| 13414 | GRADED_INLET | INLET | CONCRETE | N/A | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | N/A | N/A | N/A | NONE | GOOD | 5.5 | NO | Glenn Kenobbie | 6/28/2012 | No access due to landscaping | 745 |
| 13460 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 2.5 | YES | Glenn Kenobbie | 6/29/2012 | | 793 |
| 13354 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 6/27/2012 | | 694 |
| 13274 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 4/19/2012 | | 638 |
| 13475 | GRADED_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | GOOD | | NO | Glenn Kenobbie | 6/29/2012 | No access, behind fence | 808 |
| 12995 | GRADED_INLET | INLET | BRICK | NONE | N/A | BURIED | EXTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | | YES | JASON | 4/30/2011 | | 443 |
| 13426 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.2 | NO | Glenn Kenobbie | 6/29/2012 | | 759 |
| 13427 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.2 | NO | Glenn Kenobbie | 6/29/2012 | | 760 |
| 13482 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2 | YES | Glenn Kenobbie | 7/2/2012 | No access | 815 |
| 12998 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.14 | YES | JASON | 4/30/2011 | | 446 |
| 13440 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6 | NO | Glenn Kenobbie | 6/29/2012 | | 773 |
| 13441 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.9 | NO | Glenn Kenobbie | 6/29/2012 | | 774 |
| 13446 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.3 | NO | Glenn Kenobbie | 6/29/2012 | | 779 |
| 12857 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | | NO | JASON | 4/28/2011 | Could not get depth; behind fence | 312 |
| 12883 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1.89 | YES | JASON | 4/28/2011 | | 335 |
| 12885 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 6.98 | YES | JASON | 4/28/2011 | | 337 |
| 13282 | GRADED_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | YES | Glenn Kenobbie | 4/19/2012 | No access to inside of structure | 657 | |
| 14211 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 6.8 | YES | Glenn Kenobbie | 7/19/2012 | | 1248 |
| 14213 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Glenn Kenobbie | 7/19/2012 | | 1251 |
| 12803 | GRADED_INLET | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | GOOD | 2.95 | NO | KEVIN | 4/27/2011 | | 262 |
| 12804 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | KEVIN | 4/27/2011 | | 263 |
| 13298 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 5.9 | YES | Glenn Kenobbie | 4/10/2012 | No access to inside of structure | 516 |
| 12810 | GRADED_INLET | INLET | METAL | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | STANDING | MINOR | EXTERIOR | NONE | GOOD | 1.5 | YES | KEVIN | 4/27/2011 | | 269 |
| 13518 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.4 | YES | Glenn Kenobbie | 7/2/2012 | No access, lid stuck | 843 |
| 13528 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.7 | YES | Glenn Kenobbie | 7/2/2012 | Underground detention pond | 853 |
| 13530 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7 | YES | Glenn Kenobbie | 7/2/2012 | Underground detention pond | 854 |
| 13538 | GRADED_INLET | INLET | BRICK | SAFETY HAZARD | EXTERIOR | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | 2.6 | YES | Glenn Kenobbie | 7/3/2012 | Grate severely corroded; blocked | 861 |
| 13545 | GRADED_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 2 | YES | Glenn Kenobbie | 7/3/2012 | Grate not sealed | 868 |
| 13548 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.6 | YES | Glenn Kenobbie | 7/5/2012 | | 871 |
| 13549 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kenobbie | 7/5/2012 | | 872 |
| 12839 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.91 | NO | KEVIN | 4/27/2011 | | 294 |
| 12840 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.7 | NO | KEVIN | 4/27/2011 | | 295 |
| 13595 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.9 | YES | Glenn Kenobbie | 7/5/2012 | | 915 |
| 13596 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 7/5/2012 | | 916 |
| 13597 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.3 | YES | Glenn Kenobbie | 7/5/2012 | | 917 |
| 13598 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 7/5/2012 | | 918 |
| 13600 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 17.6 | YES | Glenn Kenobbie | 7/5/2012 | | 920 |
| 13601 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.1 | YES | Glenn Kenobbie | 7/5/2012 | | 921 |
| 13565 | GRADED_INLET | INLET | N/A | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | N/A | GOOD | | YES | Glenn Kenobbie | 7/3/2012 | No access, completely blocked b | 887 | |
| 13567 | GRADED_INLET | INLET | BRICK | NONE | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/3/2012 | No access, lid stuck | 889 |
| 13568 | GRADED_INLET | INLET | N/A | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/3/2012 | No access, lid stuck | 890 | |
| 13576 | GRADED_INLET | INLET | N/A | N/A | 26%-75% OF PIPE DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | NONE | N/A | NONE | GOOD | 2.6 | YES | Glenn Kenobbie | 7/3/2012 | No access | 897 |
| 13550 | GRADED_INLET | INLET | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|--------------|-------|--------------|---------------|----------|----------------------------------|-------------|----------|----------|----------|------|------|--------|--------|------|----------------|------------------|------------------------|-----------------------------------|------|
| 13563 | GRADED_INLET | INLET | N/A | N/A | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/3/2012 | No access, lid stuck | 885 | |
| 14000 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.8 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1293 | |
| 13602 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | YES | | Glenn Kenobbie | 7/5/2012 | | 922 | |
| 13603 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 0.8 | YES | Glenn Kenobbie | 7/5/2012 | | 923 | |
| 13606 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 2.2 | YES | Glenn Kenobbie | 7/5/2012 | | 926 | |
| 13609 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | N/A | 4.3 | YES | Glenn Kenobbie | 7/5/2012 | | 929 | |
| 13612 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 13.3 | YES | Glenn Kenobbie | 7/5/2012 | | 932 |
| 13613 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 13 | YES | Glenn Kenobbie | 7/5/2012 | | 933 | |
| 13614 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 7.7 | YES | Glenn Kenobbie | 7/5/2012 | | 934 | |
| 13615 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.8 | YES | Glenn Kenobbie | 7/5/2012 | | 935 |
| 13616 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.2 | YES | Glenn Kenobbie | 7/5/2012 | | 936 |
| 13617 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6 | YES | Glenn Kenobbie | 7/5/2012 | | 937 | |
| 13618 | GRADED_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 1 | YES | Glenn Kenobbie | 7/5/2012 | No access, covered | 938 | |
| 13619 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.1 | YES | Glenn Kenobbie | 7/5/2012 | | 939 | |
| 13620 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.6 | YES | Glenn Kenobbie | 7/5/2012 | | 940 |
| 14218 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.6 | YES | Glenn Kenobbie | 7/19/2012 | | 1278 |
| 13590 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 7/5/2012 | | 910 |
| 13591 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 17.1 | YES | Glenn Kenobbie | 7/5/2012 | | 911 |
| 13592 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kenobbie | 7/5/2012 | | 912 |
| 13593 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | | Glenn Kenobbie | 7/5/2012 | | 913 |
| 13915 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.7 | YES | Glenn Kenobbie | 7/18/2012 | | 1212 | |
| 13921 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | SEALED | 2.4 | YES | Glenn Kenobbie | 7/18/2012 | No access | 1218 | |
| 13838 | GRADED_INLET | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 7/17/2012 | | 1141 |
| 14220 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 7/19/2012 | | 1276 | |
| 14221 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 7/19/2012 | | 1275 |
| 14224 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 7/19/2012 | | 1277 |
| 14225 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3.7 | YES | Glenn Kenobbie | 7/19/2012 | | 1304 |
| 14231 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 2 | YES | Glenn Kenobbie | 7/19/2012 | | 1302 |
| 13923 | GRADED_INLET | INLET | BRICK | MODERATE | INTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | SEALED | 2.8 | YES | Glenn Kenobbie | 7/18/2012 | No access | 1220 | |
| 13924 | GRADED_INLET | INLET | BRICK | SEVERE | INTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 2 | YES | Glenn Kenobbie | 7/18/2012 | | 1221 | |
| 13930 | GRADED_INLET | INLET | N/A | N/A | N/A | BURIED | EXTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | 3.5 | YES | Glenn Kenobbie | 7/18/2012 | No access, buried | 1227 | |
| 13847 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/17/2012 | | 1148 |
| 13854 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.4 | NO | Glenn Kenobbie | 7/17/2012 | | 1155 |
| 13967 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 2.5 | NO | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1264 |
| 13972 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1268 |
| 14240 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/19/2012 | | 1297 | |
| 14241 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 2.4 | YES | Glenn Kenobbie | 7/19/2012 | | 1298 | |
| 14244 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | GOOD | 2.9 | YES | Glenn Kenobbie | 7/19/2012 | | 1296 | |
| 14038 | GRADED_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | | Glenn Kenobbie | 8/1/2012 | No access due to fence | 1327 | |
| 13866 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | SEALED | 4 | YES | Glenn Kenobbie | 8/1/2012 | No access, lid stuck | 1167 |
| 13867 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 6.9 | YES | Glenn Kenobbie | 8/2/2012 | No access, lid stuck | 1168 |
| 13869 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.6 | YES | Glenn Kenobbie | 7/18/2012 | | 1170 |
| 13871 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Glenn Kenobbie | 7/18/2012 | | 1172 |
| 13873 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.8 | YES | Glenn Kenobbie | 7/18/2012 | | 1173 |
| 13874 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 7/18/2012 | | 1174 |
| 13884 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 7/18/2012 | | 1184 |
| 13890 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 2.3 | YES | Glenn Kenobbie | 7/18/2012 | Lid welded | 1190 | |
| 13897 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 1.8 | YES | Glenn Kenobbie | 7/17/2012 | Drops into flume | 1194 |
| 13898 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6 | NO | Glenn Kenobbie | 7/17/2012 | No access to pipes; lid stuck | 1195 |
| 13899 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.4 | NO | Glenn Kenobbie | 7/17/2012 | | 1196 |
| 13900 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 7.5 | NO | Glenn Kenobbie | 7/17/2012 | No access to pipes; possible dete | 1197 |
| 13907 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.2 | YES | Glenn Kenobbie | 7/17/2012 | | 1204 |
| 13908 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 7/17/2012 | | 1205 |
| 13940 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 6.1 | YES | Glenn Kenobbie | 7/18/2012 | No access | 1237 | |
| 14065 | GRADED_INLET | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 8.2 | YES | Glenn Kenobbie | 8/2/2012 | Drops into underground dentent | 1352 |
| 14001 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1294 | |
| 14008 | GRADED_INLET | INLET | OTHER | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1 | YES | Glenn Kenobbie | 7/19/2012 | Trench drain | 1300 |
| 14068 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 8/6/2012 | No access to pipes; lid grouted | 1355 |
| 14071 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2 | YES | Glenn Kenobbie | 8/6/2012 | No access, lid stuck | 1358 |
| 14073 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.3 | YES | Glenn Kenobbie | 8/6/2012 | No access, lid stuck | 1360 |
| 14074 | GRADED_INLET | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 8/6/2012 | No access, lid stuck | 1361 |
| 14199 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | SEALED | 3.7 | YES | Glenn Kenobbie | 8/8/2012 | No access, lid stuck | 1476 |
| 14269 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.4 | YES | Glenn Kenobbie | 8/6/2012 | | 1392 | |
| 14275 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 4.8 | YES | Glenn Kenobbie | 8/6/2012 | | 1391 |
| 13950 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.2 | YES | Glenn Kenobbie | 7/19/2012 | Grate loose | 1247 |
| 14076 | GRADED_INLET | INLET | BRICK | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.4 | YES | Glenn Kenobbie | 8/6/2012 | Lid not standard; severely corroc | 1363 |
| 14011 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 3 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1303 |
| 14015 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.8 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1307 |
| 14016 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1.6 | YES | Glenn Kenobbie | 7/19/2012 | No access | 1308 |
| 13743 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.7 | NO | Glenn Kenobbie | 7/12/2012 | | 1056 |
| 13744 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | 8 | YES | Glenn Kenobbie | 7/16/2012 | Grate paved over | 1057 |
| 14021 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1313 |
| 14022 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 1 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1314 |
| 14330 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | Glenn Kenobbie | 8/8/2012 | | 1463 |
| 14331 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8 | YES | Glenn Kenobbie | 8/8/2012 | | 1464 |
| 14332 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.3 | YES | Glenn Kenobbie | 8/8/2012 | | 1465 |
| 14333 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.7 | YES | Glenn Kenobbie | 8/8/2012 | | 1469 |
| 14337 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.1 | YES | Glenn Kenobbie</ | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--------------|--------|---------------|---------------|----------|-------------------------------------|-------------|-------------|-----------|----------|----------|----------|-----------|--------|----------------|----------------|----------------|----------------------------------|-----------------------------------|------------|
| 14835 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.32 | YES | Jason Ray | 9/10/2010 | | 1932 | |
| 13794 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | FLOWING | NONE | N/A | IC SEALED | 7.8 | YES | Glenn Kenobbie | 7/16/2012 | No access, water flowing into bo | 1100 | |
| 14888 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Jason Ray | 9/11/2010 | Hole cut in top of pipe | 1985 |
| 14353 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.1 | YES | Jason Ray | 9/18/2012 | | 1488 |
| 14355 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 2.5 | YES | Jason Ray | 9/18/2012 | | 1490 |
| 13818 | GRADED_INLET | INLET | CINDER_BLOCK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 1.8 | YES | Glenn Kenobbie | 7/17/2012 | | 1123 |
| 13826 | GRADED_INLET | INLET | CINDER_BLOCK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/17/2012 | | 1131 |
| 13832 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | N/A | NONE | GOOD | 2.1 | YES | Glenn Kenobbie | 7/17/2012 | | 1135 |
| 13833 | GRADED_INLET | INLET | BRICK | SAFETY HAZARD | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | N/A | NONE | GOOD | 2.4 | YES | Glenn Kenobbie | 7/17/2012 | Lid not grouted | 1136 |
| 14473 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 4.8 | YES | Jason Ray | 9/24/2012 | Lid stuck, no access | 1592 |
| 14476 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | SEALED | 10.4 | YES | Jason Ray | 9/24/2012 | Lid stuck, no access | 1594 |
| 14373 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | NONE | N/A | N/A | N/A | NONE | GOOD | 3 | NO | Jason Ray | 9/18/2012 | | 1506 |
| 14479 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 5.7 | YES | Jason Ray | 9/24/2012 | | 1597 |
| 14480 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 6.4 | YES | Jason Ray | 9/24/2012 | | 1598 |
| 14486 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 8.4 | YES | Jason Ray | 9/24/2012 | Lid stuck, no access | 1604 |
| 14487 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9 | YES | Jason Ray | 9/24/2012 | | 1605 |
| 14383 | GRADED_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | NO | Jason Ray | 9/20/2012 | No access to structure | 1516 | |
| 14494 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 5.4 | YES | Jason Ray | 9/24/2012 | Lid stuck, no access | 1612 |
| 14499 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 8.9 | YES | Jason Ray | 9/24/2012 | | 1617 |
| 14555 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 3.2 | YES | Jason Ray | 9/26/2012 | Lid stuck, no access | 1665 |
| 14556 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.7 | YES | Jason Ray | 9/26/2012 | | 1666 |
| 14557 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.2 | YES | Jason Ray | 9/26/2012 | | 1667 |
| 14558 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.2 | YES | Jason Ray | 9/26/2012 | | 1668 |
| 14559 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 9/26/2012 | | 1669 |
| 14561 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5 | YES | Jason Ray | 9/26/2012 | | 1671 |
| 14562 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5.3 | YES | Jason Ray | 9/26/2012 | | 1672 |
| 14565 | GRADED_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.7 | YES | Jason Ray | 9/26/2012 | | 1675 |
| 14918 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.2 | YES | Jason Ray | 9/11/2010 | Pipe runs through | 2015 | |
| 15024 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.3 | YES | Jason Ray | 9/12/2010 | | 2121 |
| 15081 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4 | YES | Jason Ray | 10/3/2012 | | 2178 |
| 15107 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.3 | YES | Jason Ray | 10/3/2012 | | 2204 |
| 15122 | GRADED_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | SEALED | 3.6 | YES | Jason Ray | 10/3/2012 | lid stuck no access | 2219 |
| 15124 | GRADED_INLET | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | SEALED | 2.3 | YES | Jason Ray | 10/3/2012 | lid stuck no access | 2221 | |
| HEADWALL Count | | | | | | | | | | | | | | | | | | | | 282 |
| 12536 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/22/2011 | | 5 | |
| 12540 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99% OF PIPE DIAMETER/BOTH | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/22/2011 | | 9 | |
| 12541 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/22/2011 | 10 | |
| 12549 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/22/2011 | | 17 | |
| 12550 | HEADWALL | INLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/22/2011 | | 18 | |
| 12551 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/22/2011 | | 19 | |
| 12552 | HEADWALL | INLET | CINDER_BLOCK | NONE | N/A | 76%-99% OF PIPE DIAMETER/BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | JASON | | 4/22/2011 | | 20 | |
| 12563 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | N/A | NONE | N/A | NO | JASON | | 4/22/2011 | 31 | |
| 12566 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | JASON | | 4/22/2011 | | 34 | |
| 12581 | HEADWALL | INLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | JASON | | 4/22/2011 | | 48 | |
| 15142 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | | 10/19/2012 | | 2236 | |
| 15143 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | | 10/19/2012 | | 2235 | |
| 12612 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/23/2011 | | 79 | |
| 12615 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | YES | JASON | | 4/23/2011 | 82 | |
| 12621 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/23/2011 | | 88 | |
| 12624 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | NONE | N/A | NONE | SEVERE | EXTERIOF | NONE | N/A | NO | JASON | | 4/23/2011 | | 91 | |
| 12627 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | MINOR | EXTERIOF | NONE | N/A | NO | JASON | | 4/23/2011 | | 94 | |
| 12635 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/23/2011 | | 102 | |
| 12638 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/25/2011 | 105 | |
| 12849 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | | 4/28/2011 | | 304 | |
| 12651 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | KEVIN | | 4/25/2011 | | 118 | |
| 12652 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | SIGNIFICANT | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | KEVIN | | 4/25/2011 | | 119 | |
| 12656 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | YES | KEVIN | | 4/25/2011 | Headwall separated | 124 |
| 12661 | HEADWALL | INLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | MODERATE | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/25/2011 | 129 | |
| 12664 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/EXTERIOR | MINOR | EXTERIOR | INUNDATED | MINOR | EXTERIOF | NONE | N/A | NO | KEVIN | | 4/25/2011 | Scour behind headwall | 132 | |
| 12667 | HEADWALL | OUTLET | CONCRETE | MINOR | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | NO | KEVIN | | 4/25/2011 | Slight separation; scour behind h | 135 |
| 12696 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/25/2011 | | 159 | |
| 12697 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/25/2011 | | 160 | |
| 12698 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/25/2011 | | 161 |
| 12704 | HEADWALL | INLET | GROUTED_STONE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | KEVIN | | 4/26/2011 | | 167 |
| 12706 | HEADWALL | OUTLET | GROUTED_STONE | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | MINOR | EXTERIOF | NONE | N/A | YES | KEVIN | | 4/26/2011 | | 169 | |
| 12734 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/26/2011 | | 195 | |
| 12870 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/28/2011 | | 324 | |
| 12873 | HEADWALL | INLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S' BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/28/2011 | | 327 | |
| 12744 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/26/2011 | | 204 |
| 12746 | HEADWALL | INLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | NO | KEVIN | | 4/26/2011 | Inside ring corroded | 206 |
| 12749 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | NO | KEVIN | | 4/26/2011 | | 209 |
| 12899 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | | 4/28/2011 | | 350 |
| 12901 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOF | NONE | N/A | NO | JASON | | 4/29/2011 | | 352 |
| 14207 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 7/19/2012 | | 1249 | |
| 13166 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 4/9/2012 | | 488 |
| 13168 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 4/9/2012 | | 491 |
| 13173 | HEADWALL | OUTLET | OTHER | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | | 4/9/2012 | Rock headwall | 496 |
| 13176 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 4/9/2012 | | 497 |
| 13180 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 4/9/2012 | | 501 |
| 13189 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | | 4/10/2012 | | 539 | |
| 13191 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|-------|----------|--------|---------------|----------|------------|-------------------------------------|-------------|-------------|-----------|----------|----------|----------|------|------|----------------|----------------|-----------|------|
| 13219 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/11/2012 | 545 | |
| 13224 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/11/2012 | 553 | |
| 13234 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/19/2012 | 603 | |
| 13252 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 4/19/2012 | 621 |
| 13257 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/19/2012 | 626 | |
| 13264 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/19/2012 | 632 | |
| 14642 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | STANDING | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/7/2010 | 1739 | |
| 14650 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/7/2010 | 1747 |
| 12755 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S EXTERIOR | MINOR | EXTERIOR | STANDING | MINOR | EXTERIOR | NONE | N/A | NO | KEVIN | 4/26/2011 | 215 | |
| 12759 | HEADWALL | OUTLET | CONCRETE | MINOR | INTERIOR | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOR | NONE | N/A | NO | KEVIN | 4/26/2011 | 219 |
| 12761 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | 4/26/2011 | 221 | |
| 14660 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/7/2010 | 1757 | |
| 14667 | HEADWALL | OUTLET | BRICK | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/7/2010 | 1764 |
| 14674 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1771 |
| 14677 | HEADWALL | OUTLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1774 |
| 14678 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1775 | |
| 14682 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1779 | |
| 14689 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1786 |
| 14694 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1791 | |
| 14695 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | SIGNIFICANT | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/8/2010 | 1792 | |
| 14696 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOR | NONE | N/A | YES | Jason Ray | 9/8/2010 | 1793 |
| 14702 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER_EXTERIOR | NONE | N/A | INUNDATED | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1799 | |
| 12929 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | 4/29/2011 | 380 | |
| 12930 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | JASON | 4/29/2011 | 381 | |
| 12931 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | JASON | 4/29/2011 | 382 | |
| 14709 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | NONE | SEVERE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/8/2010 | 1806 | |
| 13359 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | STANDING | N/A | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/27/2012 | 698 | |
| 13363 | HEADWALL | INLET | GROUTED_STONE | MODERATE | EXTERIOR | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/27/2012 | 702 | |
| 14715 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1812 | |
| 14717 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1814 |
| 14718 | HEADWALL | INLET | CONCRETE | N/A | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1815 | |
| 12934 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | JASON | 4/29/2011 | 385 |
| 12945 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/29/2011 | 396 | |
| 12955 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/29/2011 | 404 | |
| 13337 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 6/25/2012 | 684 |
| 12970 | HEADWALL | OUTLET | GROUTED_STONE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | SEVERE | EXTERIOR | NONE | N/A | YES | JASON | 4/30/2011 | 418 |
| 12972 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 420 |
| 12973 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 421 |
| 12976 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | 3.5 | YES | JASON | 4/30/2011 | 424 |
| 12978 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S INTERIOR | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 426 | |
| 12984 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 432 |
| 13469 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 6/29/2012 | 802 |
| 13470 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 6/29/2012 | 803 |
| 13477 | HEADWALL | INLET | BRICK | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/29/2012 | 810 |
| 12794 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S BOTH | NONE | N/A | FLOWING | MODERATE | EXTERIOR | NONE | N/A | NO | KEVIN | 4/27/2011 | 253 | |
| 12990 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S EXTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 438 | |
| 12993 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER/S BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 441 | |
| 13479 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 6/29/2012 | 812 | |
| 13480 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 6/29/2012 | 813 |
| 13442 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 6/29/2012 | 775 | |
| 13010 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | JASON | 4/30/2011 | 458 | |
| 13277 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/19/2012 | 642 | |
| 14726 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1823 |
| 12801 | HEADWALL | INLET | GROUTED_STONE | SEVERE | BOTH | NONE | N/A | MINOR | EXTERIOR | FLOWING | SEVERE | INTERIOR | NONE | N/A | YES | KEVIN | 4/27/2011 | 260 |
| 13305 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | 16.3 | NO | Glenn Kenobbie | 4/11/2012 | 550 |
| 13307 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 4/11/2012 | 552 |
| 13310 | HEADWALL | OUTLET | CONCRETE | N/A | N/A | BURIED | N/A | BURIED | BOTH | NONE | N/A | N/A | N/A | YES | Glenn Kenobbie | 4/10/2012 | 525 | |
| 12727 | HEADWALL | OUTLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | YES | KEVIN | 4/26/2011 | 188 |
| 12728 | HEADWALL | INLET | CONCRETE | SEVERE | INTERIOR | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | KEVIN | 4/26/2011 | 189 |
| 12732 | HEADWALL | INLET | CONCRETE | MODERATE | INTERIOR | 1%-25% OF PIPE DIAMETER/S EXTERIOR | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | KEVIN | 4/26/2011 | 193 | |
| 12823 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | MINOR | EXTERIOR | NONE | N/A | NO | KEVIN | 4/27/2011 | 278 |
| 14740 | HEADWALL | INLET | BRICK | NONE | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1837 |
| 12834 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | KEVIN | 4/27/2011 | 289 | |
| 14749 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | NO | Jason Ray | 9/9/2010 | 1846 | |
| 14754 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1851 |
| 13648 | HEADWALL | INLET | GROUTED_STONE | MINOR | EXTERIOR | 1%-25% OF PIPE DIAMETER EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 966 | |
| 13585 | HEADWALL | INLET | BRICK | MINOR | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | 906 | |
| 13587 | HEADWALL | OUTLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | SEVERE | EXTERIOR | NONE | N/A | YES | Glenn Kenobbie | 7/3/2012 | 908 |
| 13627 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 947 |
| 13631 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/5/2012 | 951 | |
| 13636 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 7/5/2012 | 956 |
| 13637 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/5/2012 | 957 | |
| 13640 | HEADWALL | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/5/2012 | 960 |
| 13649 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | BOTH | NONE | N/A | MODERATE | EXTERIOR | NONE | MINOR | EXTERIOR | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 967 |
| 13919 | HEADWALL | OUTLET | BRICK | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/18/2012 | 1216 | |
| 13840 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOR | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1143 |
| 13841 | HEADWALL | INLET | GROUTED_STONE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1144 | |
| 13842 | HEADWALL | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1145 | |
| 14222 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1273 |
| 14760 | HEADWALL | OUTLET | BRICK | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1857 |
| 14761 | HEADWALL | OUTLET | BRICK | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | SEVERE | EXTERIOR | NONE | N/A | YES | Jason Ray | 9/9/2010 | 1858 |
| 14762 | HEADWALL | INLET | BRICK | MODERATE | EXTERIOR | NONE | N/A | SIGNIFICANT | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/9/2010 | 1859 |
| 14764 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1861 | |
| 13846 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | MODERATE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1147 |
| 13665 | HEADWALL | OUTLET | BRICK | MINOR | EXTERIOR</ | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|-------|----------|--------|---------------|----------|----------|--------------------------|----------|-------------|----------|-----------|----------|----------|------|-----|-----|----------------|-----------|------|
| 13674 | HEADWALL | OUTLET | GROUTED_STONE | SEVERE | BOTH | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 991 |
| 14245 | HEADWALL | INLET | GROUTED_STONE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1259 |
| 14246 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1260 |
| 14247 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1261 |
| 14248 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/19/2012 | 1262 |
| 14042 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | FLOWING | MODERATE | EXTERIOF | ID | N/A | NO | Glenn Kenobbie | 8/1/2012 | 1331 |
| 13675 | HEADWALL | INLET | GROUTED_STONE | SEVERE | INTERIOR | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 992 |
| 13678 | HEADWALL | OUTLET | GROUTED_STONE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | INTERIOR | NONE | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 995 |
| 13681 | HEADWALL | OUTLET | GROUTED_STONE | MINOR | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 998 |
| 13682 | HEADWALL | INLET | GROUTED_STONE | SEVERE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 7/11/2012 | 999 |
| 13687 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/11/2012 | 1004 |
| 13688 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/11/2012 | 1005 |
| 13693 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | STANDING | SEVERE | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 7/12/2012 | 1010 |
| 14768 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/9/2010 | 1865 |
| 13716 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | FLOWING | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 7/12/2012 | 1032 |
| 14253 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | STANDING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/2/2012 | 1350 |
| 14257 | HEADWALL | OUTLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 8/6/2012 | 1376 |
| 14263 | HEADWALL | OUTLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | MINOR | EXTERIOR | STANDING | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 8/6/2012 | 1371 |
| 14265 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/6/2012 | 1369 |
| 14267 | HEADWALL | INLET | BRICK | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/6/2012 | 1356 |
| 14268 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/6/2012 | 1394 |
| 14276 | HEADWALL | INLET | CONCRETE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/1/2012 | 1326 |
| 14277 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/1/2012 | 1328 |
| 14280 | HEADWALL | OUTLET | CONCRETE | MODERATE | INTERIOR | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 8/1/2012 | 1319 |
| 14281 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 8/1/2012 | 1315 |
| 14282 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | FLOWING | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 8/1/2012 | 1316 |
| 14283 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 8/1/2012 | 1318 |
| 14286 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 8/1/2012 | 1317 |
| 14287 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/2/2012 | 1335 |
| 14288 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/2/2012 | 1334 |
| 14289 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/2/2012 | 1333 |
| 14292 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/2/2012 | 1342 |
| 14297 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 8/7/2012 | 1424 |
| 14304 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/7/2012 | 1448 |
| 13726 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | YES | Glenn Kenobbie | 7/12/2012 | 1040 |
| 13731 | HEADWALL | OUTLET | CONCRETE | SEVERE | INTERIOR | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 7/12/2012 | 1045 |
| 13734 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | STANDING | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 7/12/2012 | 1048 |
| 14311 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 8/7/2012 | 1403 |
| 14348 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/18/2010 | 1483 |
| 14776 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1873 |
| 14780 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1877 |
| 14781 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | INUNDATED | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1878 |
| 14099 | HEADWALL | OUTLET | CONCRETE | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | Glenn Kenobbie | 8/6/2012 | 1385 |
| 14107 | HEADWALL | INLET | CONCRETE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | Glenn Kenobbie | 8/6/2012 | 1390 |
| 14785 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1882 |
| 14798 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1895 |
| 14799 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1896 |
| 14801 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1898 |
| 14810 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1907 |
| 14814 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1911 |
| 14818 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1915 |
| 14824 | HEADWALL | OUTLET | BRICK | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | STANDING | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1921 |
| 14829 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1926 |
| 14831 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1928 |
| 14833 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1930 |
| 14836 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1933 |
| 14837 | HEADWALL | INLET | BRICK | SEVERE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER | EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1934 |
| 14841 | HEADWALL | OUTLET | BRICK | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1938 |
| 14844 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1941 |
| 14845 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1942 |
| 14846 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/10/2010 | 1943 |
| 14858 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1955 |
| 14860 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1957 |
| 14863 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1960 |
| 14865 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1962 |
| 14875 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1972 |
| 14877 | HEADWALL | OUTLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1974 |
| 14879 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | NONE | BOTH | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1976 |
| 14880 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1977 |
| 14884 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 1981 |
| 14350 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/18/2012 | 1485 |
| 14454 | HEADWALL | OUTLET | BRICK | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | MODERATE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1577 |
| 14456 | HEADWALL | OUTLET | BRICK | MINOR | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER | BOTH | NONE | N/A | NONE | MINOR | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1579 |
| 14461 | HEADWALL | OUTLET | BRICK | SEVERE | EXTERIOR | NONE | N/A | MINOR | EXTERIOR | FLOWING | SEVERE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1582 |
| 13816 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | SEVERE | EXTERIOF | NONE | N/A | NO | Glenn Kenobbie | 7/16/2012 | 1121 |
| 14363 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/18/2012 | 1497 |
| 13831 | HEADWALL | INLET | CONCRETE | SEVERE | EXTERIOR | BURIED | BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Glenn Kenobbie | 7/17/2012 | 1134 |
| 14466 | HEADWALL | OUTLET | BRICK | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | BOTH | MODERATE | BOTH | NONE | MINOR | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1586 |
| 14468 | HEADWALL | OUTLET | BRICK | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | SEVERE | EXTERIOF | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1588 |
| 14472 | HEADWALL | OUTLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1591 |
| 14368 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/18/2012 | 1502 |
| 14371 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | BOTH | NONE | N | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--------------------|--------|---------------|---------------|----------|-------------------------------------|-------------|-------------|-----------|-----------|----------|----------|------|---------|-----------|-----------|----------------------------------|-----------------------------|------|
| 14892 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1899 | | |
| 14388 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | NONE | N/A | N/A | NONE | N/A | NO | Jason Ray | 9/20/2012 | 1521 | | |
| 14404 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/20/2012 | 1534 | | |
| 14503 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | Jason Ray | 9/24/2012 | No access to headwall | 1621 | |
| 14504 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1622 | | |
| 14507 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1624 | |
| 14411 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/20/2012 | 1540 | | |
| 14413 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | N/A | N/A | NONE | N/A | YES | Jason Ray | 9/20/2012 | 1542 | | |
| 14415 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | MODERATE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/20/2012 | 1544 | | |
| 14419 | HEADWALL | OUTLET | BRICK | SEVERE | BOTH | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | SEVERE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/20/2012 | Pipe separating from headwall | 1547 | |
| 14427 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/20/2012 | 1553 | | |
| 14435 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | FLOWING | NONE | N/A | NONE | YES | Jason Ray | 9/20/2012 | 1559 | | |
| 14535 | HEADWALL | OUTLET | CONCRETE | SEVERE | INTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | SUBMERGED | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/25/2012 | 1648 | | |
| 14448 | HEADWALL | OUTLET | BRICK | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1571 | | |
| 14451 | HEADWALL | OUTLET | BRICK | MODERATE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | MODERATE | EXTERIOR | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1574 | | |
| 14452 | HEADWALL | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/24/2012 | 1575 | | |
| 14901 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 1998 | | |
| 14903 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2000 | | |
| 14904 | HEADWALL | INLET | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2001 | | |
| 14567 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | NO | Jason Ray | 9/26/2012 | 1677 | | |
| 14586 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | YES | Jason Ray | 9/26/2012 | 1693 | | |
| 14606 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | YES | Jason Ray | 9/27/2012 | 1706 | | |
| 14907 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 2004 | | |
| 14913 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | MINOR | EXTERIOR | NONE | N/A | NONE | NO | Jason Ray | 9/11/2010 | 2010 | | |
| 14916 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2013 | | |
| 14921 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | BOTH | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 2018 | | |
| 14925 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2022 | | |
| 14934 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | MINOR | EXTERIOR | FLOWING | MINOR | EXTERIOR | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2031 | | |
| 14935 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2032 | | |
| 14937 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2034 | | |
| 14938 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | City notified of sewer leak | 2035 |
| 14940 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2037 | | |
| 14941 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2038 | | |
| 14942 | HEADWALL | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/11/2010 | 2039 | | |
| 14959 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 2056 | | |
| 14961 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | NONE | N/A | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/11/2010 | 2058 | | |
| 14962 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | NO | Jason Ray | 9/11/2010 | 2059 | | |
| 14963 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO | Jason Ray | 9/11/2010 | 2060 | | |
| 14965 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | YES | Jason Ray | 9/11/2010 | 2062 | | |
| 14975 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | YES | Jason Ray | 9/12/2010 | 2072 | | |
| 14978 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | NO | Jason Ray | 9/12/2010 | 2075 | | |
| 14987 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | SUBMERGED | N/A | N/A | NONE | N/A | NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2084 | |
| 14990 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2087 | |
| 15030 | HEADWALL | OUTLET | CONCRETE | N/A | N/A | N/A | N/A | N/A | SUBMERGED | N/A | N/A | NONE | N/A | NO | Jason Ray | 9/12/2010 | Could not see bottom of structur | 2127 | |
| 15041 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | N/A | N/A | SIGNIFICANT | BOTH | SUBMERGED | NONE | N/A | NONE | NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2138 | |
| 15047 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | N/A | NO | Jason Ray | 9/12/2010 | 2144 | | |
| 15055 | HEADWALL | INLET | GROUTED_STONE | N/A | N/A | N/A | N/A | N/A | FLOWING | N/A | N/A | N/A | N/A | YES | Jason Ray | 9/12/2010 | Behind fence, no access | 2152 | |
| 15056 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | FLOWING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/12/2010 | 2153 | | |
| 15057 | HEADWALL | OUTLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_EXTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | N/A | YES | Jason Ray | 9/12/2010 | 2154 | | |
| 15058 | HEADWALL | OUTLET | GROUTED_STONE | N/A | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | YES | Jason Ray | 9/12/2010 | 2155 | | |
| 15063 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | N/A | N/A | N/A | SUBMERGED | N/A | N/A | NONE | N/A | NO | Jason Ray | 9/12/2010 | Could not see bottom due to wa | 2160 | |
| 15076 | HEADWALL | OUTLET | N/A | N/A | N/A | BURIED | BOTH | SIGNIFICANT | BOTH | SUBMERGED | NONE | N/A | NONE | N/A | YES | Jason Ray | 10/3/2012 | buried and submerged | 2173 |
| 15094 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | MINOR | EXTERIOR | NONE | YES | Jason Ray | 10/3/2012 | 2191 | | |
| 15095 | HEADWALL | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | YES | Jason Ray | 10/3/2012 | 2192 | | |
| 15115 | HEADWALL | OUTLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MODERATE | EXTERIOR | NONE | NO | Jason Ray | 10/3/2012 | 2212 | | |
| HOODED_GRATE_INLET Count 93 | | | | | | | | | | | | | | | | | | | |
| 12561 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.75 | JASON | 4/22/2011 | 29 | |
| 12609 | HOODED_GRATE_INLET | INLET | GROUTED_STONE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.02 | JASON | 4/23/2011 | 76 | | |
| 12613 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.8 | JASON | 4/23/2011 | Drains into box culvert | 80 | |
| 12614 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.9 | JASON | 4/23/2011 | 81 | | |
| 12895 | HOODED_GRATE_INLET | INLET | CONCRETE | SEVERE | EXTERIOR | 26%-75%_OF_PIPE_DIAMETER/S_EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | YES | JASON | 4/28/2011 | Sediment control device present | 346 | |
| 12904 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 8.24 | JASON | 4/29/2011 | 355 | |
| 12905 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_INTERIOR | MODERATE | EXTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 11.37 | JASON | 4/29/2011 | 356 | | |
| 12908 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_BOTH | MODERATE | EXTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 8.2 | JASON | 4/29/2011 | 359 | | |
| 12909 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 7 | JASON | 4/29/2011 | 360 | |
| 12910 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_BOTH | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.22 | JASON | 4/29/2011 | 361 | | |
| 12911 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER/S_EXTERIOR | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.35 | JASON | 4/29/2011 | 362 | | |
| 13271 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.8 | JASON | 4/19/2012 | 645 | |
| 13272 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.3 | JASON | 4/19/2012 | 636 | |
| 13389 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 6 | JASON | 6/27/2012 | 723 | |
| 13390 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER/INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.4 | JASON | 6/27/2012 | 724 | | |
| 13391 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.9 | JASON | 6/27/2012 | 725 | | |
| 13392 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER_BOTH | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 6.8 | JASON | 6/28/2012 | 726 | | |
| 13396 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.1 | JASON | 6/28/2012 | 730 | |
| 13397 | HOODED_GRATE_INLET | INLET | CONCRETE | MODERATE | EXTERIOR | 1%-25%_OF_PIPE_DIAMETER_BOTH | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 9.4 | JASON | 6/28/2012 | Grate broken | 731 | |
| 13398 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 9.6 | JASON | 6/28/2012 | 732 | |
| 13399 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 10.3 | JASON | 6/28/2012 | 733 | |
| 13400 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | MISSING | 5.3 | JASON | 6/28/2012 | 739 | |
| 13401 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 5 | JASON | 6/28/2012 | 737 | |
| 13402 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 6.5 | JASON | 6/28/2012 | 738 | |
| 13403 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | MISSING | 5.1 | JASON | 6/28/2012 | 740 | |
| 13404 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 13.5 | JASON | 6/28/2012 | Too deep for pipe pictures | 734 |
| 13405 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | MISSING | 8.5 | JASON | 6/28/2012 | 750 | |
| 13406 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 5.6 | JASON | 6/28/2012 | No access, lid broken | 735 |
| 13407 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------------------|-------|----------|---------------|----------|--------------------------|-------------|-------------|----------|----------|------|------|------|------------|------|----------------|----------------|-----------------------------|----------------------------|------|
| 13411 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.1 | YES | Glenn Kenobbie | 6/28/2012 | 744 | |
| 13412 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.6 | YES | Glenn Kenobbie | 6/28/2012 | 743 | |
| 13413 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.7 | YES | Glenn Kenobbie | 6/28/2012 | 741 | |
| 13417 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | Glenn Kenobbie | 6/28/2012 | 742 | |
| 13418 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.7 | YES | Glenn Kenobbie | 6/28/2012 | 751 | |
| 13419 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | SEALED | 4.5 | YES | Glenn Kenobbie | 6/28/2012 | Lid welded | 753 |
| 13420 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | SEALED | 4.8 | YES | Glenn Kenobbie | 6/28/2012 | 754 | |
| 13421 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 5.6 | YES | Glenn Kenobbie | 6/28/2012 | 755 | |
| 13422 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | SEALED | 5.9 | YES | Glenn Kenobbie | 6/28/2012 | 752 | |
| 13423 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 5.9 | YES | Glenn Kenobbie | 6/28/2012 | Lid welded | 758 |
| 13424 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | MISSING | 7 | YES | Glenn Kenobbie | 6/28/2012 | 756 | |
| 13425 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | MISSING | 7.5 | YES | Glenn Kenobbie | 6/28/2012 | 757 | |
| 13428 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | 1%-25% OF PIPE DIAMETER | EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 6.1 | YES | Glenn Kenobbie | 6/29/2012 | 761 | |
| 13429 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 7 | YES | Glenn Kenobbie | 6/29/2012 | 762 | |
| 13430 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | MISSING | 8.05 | YES | Glenn Kenobbie | 6/29/2012 | 763 | |
| 13431 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 7.7 | YES | Glenn Kenobbie | 6/29/2012 | 764 | |
| 13432 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 8.2 | YES | Glenn Kenobbie | 6/29/2012 | 765 | |
| 13433 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 4.4 | NO | Glenn Kenobbie | 6/29/2012 | 766 | |
| 13434 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 8.2 | YES | Glenn Kenobbie | 6/29/2012 | 767 | |
| 13435 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 8.7 | YES | Glenn Kenobbie | 6/29/2012 | 768 | |
| 13436 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | ID | MISSING | 8.2 | YES | Glenn Kenobbie | 6/29/2012 | Water line leak upstream | 769 |
| 13437 | HOODED_GRATE_INLET | INLET | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | MISSING | 8.9 | YES | Glenn Kenobbie | 6/29/2012 | 770 | |
| 13438 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | EXTERIOR | MINOR | EXTERIOR | FLOWING | NONE | N/A | NONE | SEALED | 9 | YES | Glenn Kenobbie | 6/29/2012 | 771 | |
| 13439 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 3.9 | YES | Glenn Kenobbie | 6/29/2012 | 772 | |
| 13275 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.4 | YES | Glenn Kenobbie | 4/19/2012 | 639 | |
| 12889 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.5 | YES | JASON | 4/28/2011 | 341 | |
| 13493 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 2.4 | YES | Glenn Kenobbie | 7/2/2012 | 826 | |
| 13502 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 7/2/2012 | 835 | |
| 13520 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.9 | YES | Glenn Kenobbie | 7/2/2012 | 845 | |
| 13524 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 7/2/2012 | 849 | |
| 13525 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 7/2/2012 | 850 | |
| 13526 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.4 | YES | Glenn Kenobbie | 7/2/2012 | 851 | |
| 13851 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/17/2012 | 1152 | |
| 13852 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.1 | YES | Glenn Kenobbie | 7/17/2012 | 1153 | |
| 13875 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/18/2012 | 1175 |
| 13876 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.1 | YES | Glenn Kenobbie | 7/18/2012 | No access to pipes | 1176 |
| 13976 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.3 | YES | Glenn Kenobbie | 7/19/2012 | No access, lid stuck | 1272 |
| 14260 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.5 | YES | Glenn Kenobbie | 8/6/2012 | 1368 | |
| 14261 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.4 | YES | Glenn Kenobbie | 8/6/2012 | 1366 | |
| 14095 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 1.5 | YES | Glenn Kenobbie | 8/6/2012 | Lid stuck | 1381 |
| 14097 | HOODED_GRATE_INLET | INLET | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 8.3 | YES | Glenn Kenobbie | 8/6/2012 | No access, lid stuck | 1383 |
| 14335 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 8/8/2012 | 1456 | |
| 14342 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.5 | YES | Glenn Kenobbie | 8/8/2012 | 1474 | |
| 14344 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.6 | YES | Glenn Kenobbie | 8/8/2012 | 1478 | |
| 13795 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | NONE | NONE | N/A | NONE | SEALED | 3.2 | YES | Glenn Kenobbie | 7/16/2012 | No access to pipes | 1101 |
| 13796 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | 7.8 | YES | Glenn Kenobbie | 7/16/2012 | No access to pipes | 1102 |
| 13798 | HOODED_GRATE_INLET | INLET | BRICK | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | SEALED | 5.8 | YES | Glenn Kenobbie | 7/16/2012 | No access, top broken | 1104 |
| 13799 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | SEALED | 7.3 | YES | Glenn Kenobbie | 7/16/2012 | No access | 1105 |
| 13800 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | SEALED | 12.9 | YES | Glenn Kenobbie | 7/16/2012 | No access | 1106 |
| 14351 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 9.1 | YES | Jason Ray | 9/18/2012 | 1486 | |
| 14352 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 5 | YES | Jason Ray | 9/18/2012 | 1487 | |
| 14354 | HOODED_GRATE_INLET | INLET | CONCRETE | N/A | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.8 | YES | Jason Ray | 9/18/2012 | 1489 | |
| 13806 | HOODED_GRATE_INLET | INLET | BRICK | SEVERE | EXTERIOR | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | SEALED | 7.5 | YES | Glenn Kenobbie | 7/16/2012 | No access | 1112 |
| 13807 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 7.4 | YES | Glenn Kenobbie | 7/16/2012 | No access | 1113 |
| 13809 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | SEALED | 6.9 | YES | Glenn Kenobbie | 7/16/2012 | No access to pipes | 1115 |
| 13810 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | SEALED | 7.7 | YES | Glenn Kenobbie | 7/16/2012 | No access to pipes | 1116 |
| 13813 | HOODED_GRATE_INLET | INLET | N/A | SEVERE | EXTERIOR | BURIED | NONE | SIGNIFICANT | BOTH | N/A | N/A | N/A | NONE | SEALED | YES | Glenn Kenobbie | 7/16/2012 | No access | 1119 | |
| 13815 | HOODED_GRATE_INLET | INLET | N/A | SEVERE | EXTERIOR | BURIED | BOTH | SIGNIFICANT | BOTH | N/A | N/A | N/A | NONE | SEALED | YES | Glenn Kenobbie | 7/16/2012 | No access | 1120 | |
| 15044 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | SEALED | 4.7 | YES | Jason Ray | 9/12/2010 | 2141 | |
| 15096 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.1 | YES | Jason Ray | 10/3/2012 | 2193 | |
| 15097 | HOODED_GRATE_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.9 | YES | Jason Ray | 10/3/2012 | 2194 | |
| 15121 | HOODED_GRATE_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 3.8 | YES | Jason Ray | 10/3/2012 | 2218 | |
| JUNCTION_BOX Count | | | | | | | | | | | | | | | | | | | | |
| 12542 | JUNCTION_BOX | N/A | N/A | NONE | N/A | 26%-75% OF PIPE DIAMETER | EXTERIOR | MINOR | EXTERIOR | N/A | NONE | N/A | N/A | NO OPENING | NO | JASON | 4/22/2011 | No lid could not see inside | 11 | |
| 12564 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.61 | YES | JASON | 4/22/2011 | 32 | |
| 12668 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.85 | NO | KEVIN | 4/25/2011 | 136 | |
| 12684 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.56 | YES | KEVIN | 4/25/2011 | 150 | |
| 12688 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 9.6 | YES | KEVIN | 4/25/2011 | Underground detention pond | 154 |
| 12691 | JUNCTION_BOX | N/A | HDPE | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 9.06 | YES | KEVIN | 4/25/2011 | Underground detention pond | 155 |
| 12692 | JUNCTION_BOX | N/A | HDPE | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 9.06 | YES | KEVIN | 4/25/2011 | Underground detention pond | 157 |
| 12695 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.5 | YES | KEVIN | 4/25/2011 | Underground detention pond | 158 |
| 12699 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 9.14 | NO | KEVIN | 4/25/2011 | 162 | |
| 12716 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | MISSING | 13.2 | YES | KEVIN | 4/26/2011 | Wrong lid present | 179 |
| 12864 | JUNCTION_BOX | N/A | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | N/A | NONE | SEALED | 5.4 | YES | JASON | 4/28/2011 | 318 | |
| 12875 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/INTERIOR | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.62 | YES | JASON | 4/28/2011 | 329 | |
| 12876 | JUNCTION_BOX | N/A | N/A | NONE | N/A | 1%-25% OF PIPE DIAMETER | S/ EXTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | SEALED | YES | JASON | 4/28/2011 | 330 | | |
| 12743 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | EXTERIOR | BURIED | EXTERIOR | N/A | N/A | N/A | N/A | NONE | NO | KEVIN | 4/26/2011 | 203 | | |
| 12750 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | EXTERIOR | BURIED | EXTERIOR | FLOWING | N/A | N/A | NONE | N/A | NO | KEVIN | 4/26/2011 | 210 | | |
| 12897 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.1 | YES | JASON | 4/28/2011 | 348 | |

| | | | | | | | | | | | | | | | | | | | | | | |
|-------|--------------|-----|----------|---------------|----------|---------------------------|----------|-------------|----------|----------|------|-----|------|------------|-------|----------------|----------------|----------------------------------|----------------------------|-----------|---------------------|------|
| 13216 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 4/11/2012 | Buried junction box | 543 |
| 13218 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 10.9 | NO | Glenn Kenobbie | 4/11/2012 | | | 602 | |
| 13223 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 16.6 | NO | Glenn Kenobbie | 4/11/2012 | | | 549 | |
| 13230 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | Glenn Kenobbie | 4/11/2012 | No access due to landscaping | | | 559 | |
| 13232 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.3 | YES | Glenn Kenobbie | 4/11/2012 | | | 561 | |
| 13235 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | Glenn Kenobbie | 4/19/2012 | No access to inside of structure | | | 604 | |
| 13245 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 16.8 | NO | Glenn Kenobbie | 4/19/2012 | | | 617 | |
| 13246 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | Glenn Kenobbie | 4/19/2012 | No access due to landscaping | | | 615 | |
| 13249 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 9.2 | YES | Glenn Kenobbie | 4/19/2012 | | | 618 | |
| 13255 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | NO | Glenn Kenobbie | 4/19/2012 | | | | 624 | |
| 14636 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.97 | NO | Jason Ray | 9/7/2010 | | | 1733 | |
| 14637 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.61 | NO | Jason Ray | 9/7/2010 | | | 1734 | |
| 13256 | JUNCTION_BOX | N/A | CONCRETE | SAFETY HAZARD | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | MISSING | 22.5 | NO | Glenn Kenobbie | 4/19/2012 | Safety hazard; lid missing | | | 625 |
| 13260 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.9 | NO | Glenn Kenobbie | 4/19/2012 | | | 629 | |
| 13262 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.5 | NO | Glenn Kenobbie | 4/19/2012 | | | 630 | |
| 13266 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 13 | NO | Glenn Kenobbie | 4/19/2012 | | | 643 | |
| 12906 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 12.5 | NO | JASON | 4/29/2011 | Underground detention pond | | | 357 |
| 12907 | JUNCTION_BOX | N/A | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | N/A | N/A | SEALED | YES | JASON | 4/29/2011 | No access, paved over | | | 358 | |
| 14649 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO_OPENING | YES | Jason Ray | 9/7/2010 | No opening, no depth taken | | | 1746 | |
| 15167 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NONE | N/A | Glen Kenobbie | 1/26/2012 | Paved over, no access | | | 123 | |
| 14693 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.95 | NO | Jason Ray | 9/8/2010 | | | 1790 | |
| 14701 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | N/A | N/A | N/A | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.5 | NO | Jason Ray | 9/8/2010 | | | 1798 | |
| 14708 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 21.16 | NO | Jason Ray | 9/8/2010 | | | 1805 | |
| 13358 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 6/27/2012 | No access | | | 697 | |
| 14712 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.7 | NO | Jason Ray | 9/9/2010 | | | 1809 | |
| 12935 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | N/A | NONE | N/A | N/A | GOOD | NO | JASON | 4/29/2011 | No access to inside | | | 386 | |
| 12938 | JUNCTION_BOX | N/A | CONCRETE | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | JASON | 4/29/2011 | | | 389 | |
| 13372 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5 | YES | Glenn Kenobbie | 6/27/2012 | | | 709 | |
| 13323 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.6 | YES | Glenn Kenobbie | 6/25/2012 | | | 670 | |
| 12944 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.25 | NO | JASON | 4/29/2011 | | | 395 | |
| 12946 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | NO | JASON | 4/29/2011 | No access due to debris | | | 397 | |
| 12948 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10 | NO | JASON | 4/29/2011 | | | 399 | |
| 12954 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 14 | NO | JASON | 4/29/2011 | | | 403 | |
| 13383 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 13.4 | NO | Glenn Kenobbie | 6/27/2012 | Too deep for pipe pictures | | | 720 |
| 13388 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.4 | YES | Glenn Kenobbie | 6/27/2012 | | | 722 | |
| 12956 | JUNCTION_BOX | N/A | CONCRETE | SEVERE | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 11.08 | YES | JASON | 4/29/2011 | | | 405 | |
| 12960 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.43 | YES | JASON | 4/30/2011 | | | 408 | |
| 12961 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.3 | YES | JASON | 4/30/2011 | | | 410 | |
| 12965 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3 | YES | JASON | 4/30/2011 | | | 413 | |
| 13338 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.9 | YES | Glenn Kenobbie | 6/25/2012 | | | 685 | |
| 12782 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 14.4 | YES | KEVIN | 4/27/2011 | | | 241 | |
| 13416 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 6/28/2012 | No access, buried | | | 736 | |
| 13465 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | YES | Glenn Kenobbie | 6/29/2012 | Structure paved over, no access | | | 798 | |
| 13345 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | Glenn Kenobbie | 6/25/2012 | | | | 690 | |
| 13349 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 3.1 | YES | Glenn Kenobbie | 6/27/2012 | | | 1437 | |
| 13350 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 6/27/2012 | No access | | | 1480 | |
| 13352 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | ID | GOOD | 5.1 | YES | Glenn Kenobbie | 6/27/2012 | | | 693 | |
| 12983 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 14.17 | YES | JASON | 4/30/2011 | | | 431 | |
| 12986 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 9.75 | NO | JASON | 4/30/2011 | | | 434 | |
| 13471 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | YES | Glenn Kenobbie | 6/29/2012 | No access, paved over | | | 804 | |
| 13473 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 6/29/2012 | No access, paved over | | | 806 | |
| 13474 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 11.54 | YES | Glenn Kenobbie | 6/29/2012 | | | 807 | |
| 13476 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO_OPENING | YES | Glenn Kenobbie | 6/29/2012 | No access, paved over | | | 809 | |
| 12793 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 11.1 | YES | KEVIN | 4/27/2011 | | | 252 | |
| 12991 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.77 | NO | JASON | 4/30/2011 | | | 439 | |
| 13003 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.6 | NO | JASON | 4/30/2011 | | | 451 | |
| 13007 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.44 | NO | JASON | 4/30/2011 | | | 455 | |
| 13276 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 11.86 | NO | Glenn Kenobbie | 4/19/2012 | | | 646 | |
| 12855 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | YES | JASON | 4/28/2011 | Could not see in; blocked off | | | 310 | |
| 12860 | JUNCTION_BOX | N/A | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | N/A | N/A | SEALED | 7.55 | YES | JASON | 4/28/2011 | No access, paved over | | | 315 |
| 13281 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 4/19/2012 | Buried junction box | | | 656 | |
| 14724 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | 8.96 | NO | Jason Ray | 9/9/2010 | | | 1821 | |
| 14725 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.07 | NO | Jason Ray | 9/9/2010 | | | 1822 | |
| 14728 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 21.33 | NO | Jason Ray | 9/9/2010 | Lid off structure | | | 1825 |
| 13302 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 10.57 | YES | Glenn Kenobbie | 4/10/2012 | | | 520 | |
| 13304 | JUNCTION_BOX | N/A | CONCRETE | SAFETY HAZARD | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | MISSING | 13.1 | NO | Glenn Kenobbie | 4/10/2012 | Safety hazard; lid missing | | | 522 |
| 13491 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | Glenn Kenobbie | 7/2/2012 | No access | | | 824 | |
| 13492 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.5 | YES | Glenn Kenobbie | 7/2/2012 | | | 825 | |
| 13496 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | BOTH | GOOD | 6.5 | YES | Glenn Kenobbie | 7/2/2012 | | | 829 | |
| 13498 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 7.7 | YES | Glenn Kenobbie | 7/2/2012 | | | 831 | |
| 12726 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 11.3 | YES | KEVIN | 4/26/2011 | | | 187 | |
| 12730 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.6 | NO | KEVIN | 4/26/2011 | | | 191 | |
| 12731 | JUNCTION_BOX | N/A | CONCRETE | MODERATE | EXTERIOR | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | MISSING | 6.7 | NO | KEVIN | 4/26/2011 | Broken lid | | | 192 |
| 13501 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/2/2012 | | | 834 | |
| 13512 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | 26%-75% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.9 | YES | Glenn Kenobbie | 7/2/2012 | | | 838 | |
| 12824 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 9.82 | YES | KEVIN | 4/27/2011 | | | 279 | |
| 13519 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.2 | YES | Glenn Kenobbie | 7/2/2012 | | | 844 | |
| 13522 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 4.2 | YES | Glenn Kenobbie | 7/2/2012 | | | 847 | |
| 13534 | JUNCTION_BOX | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------|--------------|-----|--------------|---------------|----------|--------------------------|----------|-------------|----------|----------|------|-----|------|---------|-------|-----|----------------|-----------|------------------------------------|------|
| 13917 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7 | YES | Glenn Kenobbie | 7/18/2012 | | 1214 |
| 13918 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | | Glenn Kenobbie | 7/18/2012 | Could not find | 1215 |
| 13839 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/17/2012 | No access | 1142 |
| 14033 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 8 | YES | Glenn Kenobbie | 8/1/2012 | No access to pipes | 1324 |
| 14230 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.7 | YES | Glenn Kenobbie | 7/19/2012 | | 1311 |
| 13925 | JUNCTION_BOX | N/A | BRICK | N/A | N/A | BURIED | EXTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/18/2012 | No access, paved over | 1222 |
| 13926 | JUNCTION_BOX | N/A | CONCRETE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/18/2012 | No access, paved over | 1223 |
| 13927 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4 | YES | Glenn Kenobbie | 7/18/2012 | | 1224 |
| 14188 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 14.2 | YES | Glenn Kenobbie | 8/8/2012 | Too deep for pipe pictures | 1466 |
| 14235 | JUNCTION_BOX | N/A | CONCRETE | N/A | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3 | YES | Glenn Kenobbie | 7/19/2012 | | 1306 |
| 14238 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 7/19/2012 | | 1295 |
| 13853 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.5 | NO | Glenn Kenobbie | 7/17/2012 | Inside stained; possibly by well d | 1154 |
| 14239 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.9 | YES | Glenn Kenobbie | 7/19/2012 | | 1301 |
| 13937 | JUNCTION_BOX | N/A | N/A | N/A | N/A | NONE | N/A | NONE | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/18/2012 | No access, paved over | 1234 |
| 13887 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/18/2012 | | 1187 |
| 13903 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.8 | YES | Glenn Kenobbie | 7/17/2012 | | 1200 |
| 13905 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9.1 | YES | Glenn Kenobbie | 7/17/2012 | | 1202 |
| 13909 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | N/A | 7.7 | YES | Glenn Kenobbie | 7/17/2012 | Custom lid | 1206 |
| 13702 | JUNCTION_BOX | N/A | CONCRETE | MODERATE | EXTERIOR | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 12.8 | YES | Glenn Kenobbie | 7/12/2012 | Asphalt cracking and settling | 1019 |
| 13944 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/18/2012 | No access, paved over | 1241 |
| 14767 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.54 | NO | Jason Ray | 9/9/2010 | | 1864 |
| 15176 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 8.4 | | Glenn Kenobbie | 1/26/2012 | | 112 |
| 13987 | JUNCTION_BOX | N/A | N/A | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/19/2012 | No access | 1282 |
| 13994 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | INUNDED | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/19/2012 | No access, box full of water | 1288 |
| 13995 | JUNCTION_BOX | N/A | N/A | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/19/2012 | No access | 1289 |
| 14056 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 8/2/2012 | Could not find | 1344 |
| 13717 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | EXTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/12/2012 | No access, buried | 1033 |
| 13721 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.8 | YES | Glenn Kenobbie | 7/12/2012 | | 1037 |
| 13723 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9.3 | YES | Glenn Kenobbie | 7/12/2012 | | 1039 |
| 14067 | JUNCTION_BOX | N/A | METAL | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 11.7 | NO | Glenn Kenobbie | 8/2/2012 | Underground detention pond | 1354 |
| 14255 | JUNCTION_BOX | N/A | CONCRETE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 7.8 | YES | Glenn Kenobbie | 8/6/2012 | | 1378 |
| 14259 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 5.9 | YES | Glenn Kenobbie | 8/6/2012 | | 1367 |
| 14270 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 6.5 | NO | Glenn Kenobbie | 8/6/2012 | | 1388 |
| 14274 | JUNCTION_BOX | N/A | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3 | YES | Glenn Kenobbie | 7/18/2012 | | 1235 |
| 13947 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO | | Glenn Kenobbie | 7/19/2012 | No access, paved over | 1244 |
| 14278 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 6.6 | NO | Glenn Kenobbie | 8/1/2012 | | 1322 |
| 14279 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5 | NO | Glenn Kenobbie | 8/1/2012 | | 1321 |
| 14079 | JUNCTION_BOX | N/A | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | MISSING | 7.5 | YES | Glenn Kenobbie | 8/6/2012 | Lid broken | 1365 |
| 14307 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.3 | NO | Glenn Kenobbie | 8/7/2012 | | 1414 |
| 14096 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 8/6/2012 | No access, paved over | 1382 |
| 14310 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.7 | NO | Glenn Kenobbie | 8/7/2012 | | 1402 |
| 14316 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 8.1 | YES | Glenn Kenobbie | 8/7/2012 | | 1406 |
| 13739 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 4 | NO | Glenn Kenobbie | 7/12/2012 | Chlorine smell | 1053 |
| 13741 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 9.7 | NO | Glenn Kenobbie | 7/12/2012 | | 1054 |
| 14334 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.3 | YES | Glenn Kenobbie | 8/8/2012 | | 1470 |
| 14336 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 9 | NO | Glenn Kenobbie | 8/8/2012 | | 1457 |
| 14339 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.5 | YES | Glenn Kenobbie | 8/8/2012 | | 1473 |
| 13750 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 26%-75%_OF_PIPE_DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.9 | YES | Glenn Kenobbie | 7/16/2012 | | 1063 |
| 14775 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | SEALED | NO | | Jason Ray | 9/10/2010 | Lid bolted down, no access | 1872 |
| 14794 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.93 | NO | Jason Ray | 9/10/2010 | | 1891 |
| 14800 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7.05 | YES | Jason Ray | 9/10/2010 | | 1897 |
| 14806 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.29 | NO | Jason Ray | 9/10/2010 | | 1903 |
| 14807 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | 4.47 | NO | Jason Ray | 9/10/2010 | | 1904 |
| 14853 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.94 | NO | Jason Ray | 9/11/2010 | | 1950 |
| 14854 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.56 | NO | Jason Ray | 9/11/2010 | | 1951 |
| 14883 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | BOTH | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 7 | NO | Jason Ray | 9/11/2010 | | 1980 |
| 14135 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | ID | GOOD | 7.7 | NO | Glenn Kenobbie | 8/7/2012 | Chlorine smell | 1418 |
| 13797 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/16/2012 | No access, paved over | 1103 |
| 13805 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 7/16/2012 | No access, paved over | 1111 |
| 13808 | JUNCTION_BOX | N/A | CONCRETE | MINOR | EXTERIOR | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 10.2 | YES | Glenn Kenobbie | 7/16/2012 | | 1114 |
| 13812 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | SEALED | YES | | Glenn Kenobbie | 7/16/2012 | No access, lid stuck | 1118 |
| 14149 | JUNCTION_BOX | N/A | CONCRETE | SAFETY HAZARD | EXTERIOR | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 5.3 | YES | Glenn Kenobbie | 8/7/2012 | Lid not secured to frame | 1430 |
| 13821 | JUNCTION_BOX | N/A | N/A | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/17/2012 | No access to inside | 1126 |
| 13822 | JUNCTION_BOX | N/A | N/A | N/A | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/17/2012 | No access to inside | 1127 |
| 14156 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | EXTERIOR | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Glenn Kenobbie | 8/7/2012 | No access | 1436 |
| 13824 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 7.2 | YES | Glenn Kenobbie | 7/17/2012 | | 1129 |
| 13825 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | SIGNIFICANT | INTERIOR | STANDING | N/A | N/A | N/A | GOOD | YES | | Glenn Kenobbie | 7/17/2012 | No access | 1130 |
| 14320 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 3.3 | YES | Glenn Kenobbie | 8/6/2012 | | 1372 |
| 14482 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 6.6 | NO | Jason Ray | 9/24/2012 | | 1600 |
| 14483 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 10 | NO | Jason Ray | 9/24/2012 | | 1601 |
| 14484 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 4.4 | NO | Jason Ray | 9/24/2012 | | 1602 |
| 14488 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 12.6 | NO | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1606 |
| 14380 | JUNCTION_BOX | N/A | CINDER_BLOCK | NONE | N/A | NONE | N/A | MINOR | BOTH | FLOWING | N/A | N/A | NONE | GOOD | 7.2 | NO | Jason Ray | 9/20/2012 | | 1513 |
| 14397 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 76%-99%_OF_PIPE_DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 3 | NO | Jason Ray | 9/20/2012 | | 1527 |
| 14497 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | 1%-25%_OF_PIPE_DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 6.7 | YES | Jason Ray | 9/24/2012 | | 1615 |
| 14501 | JUNCTION_BOX | N/A | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 18.55 | NO | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1619 |
| 14531 | JUNCTION_BOX | N/A | N/A | N/A | N/A | BURIED | BOTH | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Jason Ray | 9/25/2012 | No access | 1644 |
| 14533 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Jason Ray | 9/25/2012 | Lid stuck, no access | 1646 |
| 14432 | JUNCTION_BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | YES | | Jason Ray | 9/20/2012 | Structure paved over, no access | 1558 |
| 14575 | JUNCTION_BOX | N/A | OTHER | NONE | N/A | NONE | N/A | BURIED | INTERIOR | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--------------------|-------|----------|---------------|----------|---------------------------|----------|-------------|----------|----------|----------|----------|------|------------|------|-----|----------------|-----------|----------------------------------|------|
| 12942 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | EXTERIOR | NONE | NONE | N/A | NONE | GOOD | 8.25 | NO | JASON | 4/29/2011 | 393 | |
| 13375 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | NO_OPENING | 3 | YES | Glenn Kenobbie | 6/27/2012 | No access | 712 |
| 12959 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | N/A | NONE | N/A | NONE | GOOD | | | JASON | 4/29/2011 | Fence built on top, no access | 408 |
| 12775 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER/S | INTERIOR | MINOR | EXTERIOR | FLOWING | SEVERE | EXTERIOF | NONE | GOOD | 7.35 | NO | KEVIN | 4/27/2011 | Gutter drain connected | 234 |
| 12776 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | MINOR | EXTERIOF | NONE | GOOD | 9.3 | NO | KEVIN | 4/27/2011 | | 235 |
| 12971 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.74 | NO | JASON | 4/30/2011 | | 419 |
| 13462 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 3.2 | YES | Glenn Kenobbie | 6/29/2012 | | 795 |
| 12985 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | SIGNIFICANT | EXTERIOR | NONE | NONE | N/A | N/A | SEALED | 6.35 | NO | JASON | 4/30/2011 | | 433 |
| 13478 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 6/29/2012 | | 811 |
| 13489 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | 76%-99% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.4 | YES | Glenn Kenobbie | 7/2/2012 | | 822 |
| 13490 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 5.1 | YES | Glenn Kenobbie | 7/2/2012 | | 823 |
| 13516 | PEDESTAL_INLET | INLET | BRICK | SAFETY HAZARD | EXTERIOR | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | INTERIOR | NONE | NONE | N/A | NONE | MISSING | 2 | YES | Glenn Kenobbie | 7/2/2012 | | 841 |
| 12828 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 26%-75% OF PIPE DIAMETER | EXTERIOR | SIGNIFICANT | EXTERIOR | NONE | MODERATE | EXTERIOF | NONE | GOOD | 2.75 | NO | KEVIN | 4/27/2011 | | 283 |
| 14748 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | SIGNIFICANT | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.75 | NO | Jason Ray | 9/9/2010 | | 1845 |
| 13574 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 2.5 | YES | Glenn Kenobbie | 7/3/2012 | | 895 |
| 13578 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MODERATE | BOTH | NONE | NONE | N/A | NONE | GOOD | 5.3 | YES | Glenn Kenobbie | 7/3/2012 | | 899 |
| 13836 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 1.8 | YES | Glenn Kenobbie | 7/17/2012 | | 1139 |
| 13939 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | NO_OPENING | 2 | YES | Glenn Kenobbie | 7/18/2012 | No access | 1236 |
| 13894 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 7 | YES | Glenn Kenobbie | 7/17/2012 | | 1193 |
| 13906 | PEDESTAL_INLET | INLET | CONCRETE | MINOR | EXTERIOR | NONE | N/A | MINOR | INTERIOR | FLOWING | NONE | N/A | NONE | GOOD | 7.3 | YES | Glenn Kenobbie | 7/17/2012 | Top is cracked | 1203 |
| 14271 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | NONE | N/A | NONE | GOOD | 5.6 | NO | Glenn Kenobbie | 8/6/2012 | | 1396 |
| 14305 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.4 | YES | Glenn Kenobbie | 8/7/2012 | | 1416 |
| 14306 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 5.5 | NO | Glenn Kenobbie | 8/7/2012 | | 1417 |
| 14308 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 7.7 | NO | Glenn Kenobbie | 8/7/2012 | | 1415 |
| 14318 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | NONE | N/A | NONE | GOOD | 6.7 | NO | Glenn Kenobbie | 8/7/2012 | | 1409 |
| 14020 | PEDESTAL_INLET | INLET | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | NO_OPENING | | YES | Glenn Kenobbie | 7/19/2012 | No access | 1312 |
| 14100 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | N/A | STANDING | NONE | N/A | NONE | NO_OPENING | 4.5 | NO | Glenn Kenobbie | 8/6/2012 | No access to pipe | 1386 |
| 14787 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 6.09 | NO | Jason Ray | 9/10/2010 | | 1884 |
| 14791 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 6 | NO | Jason Ray | 9/10/2010 | | 1888 |
| 14811 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 4.37 | NO | Jason Ray | 9/10/2010 | | 1908 |
| 14838 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | BOTH | NONE | NONE | N/A | NONE | GOOD | 3.88 | NO | Jason Ray | 9/10/2010 | | 1935 |
| 14874 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | NONE | N/A | NONE | GOOD | 3.1 | NO | Jason Ray | 9/11/2010 | | 1971 |
| 13820 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | NONE | N/A | NONE | NO_OPENING | 2.8 | YES | Glenn Kenobbie | 7/17/2012 | No access to pipes | 1125 |
| 14474 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | STANDING | N/A | N/A | NONE | GOOD | 8 | NO | Jason Ray | 9/24/2012 | | 1593 |
| 14477 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 12.6 | NO | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1595 |
| 14327 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | GOOD | 4.7 | NO | Glenn Kenobbie | 8/8/2012 | | 1468 |
| 14481 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | FLOWING | N/A | N/A | NONE | GOOD | 17.3 | NO | Jason Ray | 9/24/2012 | Too deep for pipe pictures | 1599 |
| 14382 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | MINOR | INTERIOR | FLOWING | N/A | N/A | NONE | SEALED | 8.8 | NO | Jason Ray | 9/20/2012 | No access | 1515 |
| 14489 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | BOTH | STANDING | N/A | N/A | NONE | GOOD | 7.4 | YES | Jason Ray | 9/24/2012 | | 1607 |
| 14500 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MODERATE | INTERIOR | STANDING | N/A | N/A | NONE | GOOD | 4.2 | NO | Jason Ray | 9/24/2012 | | 1618 |
| 14502 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | EXTERIOR | FLOWING | N/A | N/A | NONE | GOOD | 10.8 | NO | Jason Ray | 9/24/2012 | | 1620 |
| 14420 | PEDESTAL_INLET | INLET | BRICK | N/A | N/A | N/A | N/A | SIGNIFICANT | EXTERIOR | NONE | SEVERE | EXTERIOF | NONE | N/A | | | Jason Ray | 9/20/2012 | Could not see inside due to debr | 1548 |
| 14560 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 4.2 | NO | Jason Ray | 9/26/2012 | | 1670 |
| 14563 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.8 | NO | Jason Ray | 9/26/2012 | | 1673 |
| 14564 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | GOOD | 4.4 | NO | Jason Ray | 9/26/2012 | | 1674 |
| 14584 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | NONE | N/A | MINOR | INTERIOR | NONE | N/A | N/A | NONE | GOOD | 7.1 | NO | Jason Ray | 9/26/2012 | | 1691 |
| 15034 | PEDESTAL_INLET | INLET | CONCRETE | NONE | N/A | 1%-25% OF PIPE DIAMETER | INTERIOR | MINOR | INTERIOR | STANDING | NONE | N/A | NONE | GOOD | | | Jason Ray | 9/12/2010 | Could not get depth | 2131 |
| 15105 | PEDESTAL_INLET | INLET | BRICK | NONE | N/A | NONE | N/A | NONE | N/A | NONE | N/A | N/A | NONE | NO_OPENING | 2.8 | YES | Jason Ray | 10/3/2012 | | 2202 |
| SAFETY_END_SECTION Count 1 | | | | | | | | | | | | | | | | | | | | |
| 13885 | SAFETY_END_SECTION | INLET | METAL | NONE | N/A | NONE | N/A | NONE | N/A | NONE | NONE | N/A | NONE | N/A | YES | | Glenn Kenobbie | 7/18/2012 | | 1185 |

